3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis

Glycerol - ACS reagent, ≥99.5%

Product Name:

Product Number: G7893
Batch Number: SHBP4481

Brand: SIGALD CAS Number: 56-81-5

MDL Number: MFCD00004722

Formula: C3H8O3
Formula Weight: 92.09 g/mol
Quality Release Date: 11 MAR 2022
Recommended Retest Date: FEB 2024

	OH
HO.	人人

Test	Specification	Result
Appearance (Color)	Colorless	Colorless
Appearance (Form)	Liquid	Liquid
Infrared Spectrum	Conforms to Structure	Conforms
GC (area %)	≥ 99.50 %	99.92 %
Water (by Karl Fischer)	≤ 0.5 %	< 0.1 %
Residue on ignition (Ash)	≤ 0.005 %	< 0.001 %
Color Test	< 10 APHA	< 5 APHA
Acrolein and Glucose	Pass	Pass
Chlorinated Compound as Cl	<= 0.003%	< = 0.003%
Substances Darkened (by H2SO4)	Pass	Pass
Fatty Acid Esters as Butyric Acid	≤ 0.05 %	< 0.01 %
Heavy Metals (as Lead)	< = 2 ppm	< = 2 ppm
Neutrality	Pass	Pass
Sulfate (SO4)	< = 0.001%	< = 0.001%
Meets ACS Requirements	Current ACS Specification	Conforms
Recommended Retest Period 3 years		

Larry Coers, Director

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Version Number: 2 Page 1 of 2

Sigma-Aldrich_®

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Certificate of Analysis

Product Number: G7893
Batch Number: SHBP4481

Quality Control Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Version Number: 2 Page 2 of 2