



Certificate of Analysis

1.06441.9025 Sodium fluoride EMPROVE® API Ph Eur,BP,USP
Batch FN1479041

	Spec. Values		Batch Values		Method
Assay (precipitative titration, calculated on dried substance)	98.5 - 100.5	%	99.8	%	In-house
Identity	passes test		passes test		In-house
Appearance of solution	clear and colourless		clear and colourless		Ph.Eur.
Alkalinity (as NaOH)	≤ 0.1	%	< 0.1	%	In-house
Acidity (as HF)	≤ 0.2	%	< 0.1	%	USP
Chloride (Cl)	≤ 0.01	%	≤ 0.01	%	In-house
Hexafluorosilicate (SiF ₆)	≤ 0.1	%	≤ 0.1	%	In-house
Sulfate (SO ₄)	≤ 0.02	%	≤ 0.02	%	Ph.Eur.
Heavy metals (as Pb)	≤ 0.003	%	≤ 0.003	%	In-house
Fe (Iron)	≤ 0.005	%	< 0.005	%	In-house
Loss on drying (150 °C, 4 h)	≤ 0.5	%	< 0.1	%	USP
Residual solvents (Ph Eur/USP/ICH)	Excluded by manufacturing process		Excluded by manufacturing process		

Elemental impurity specifications have been set considering ICH Q3D (Guideline for Elemental Impurities). Class 1-3 elements are not likely to be present above the ICH Q3D option 1 limit, unless specified and indicated (*).
conforms to Ph.Eur., BP, USP

Date of manufacture (DD.MM.YYYY) 22.06.2020
Date of examination (DD.MM.YYYY) 12.03.2021
Minimum shelf life (DD.MM.YYYY) 30.06.2025

Dimitrij Ryvlin
Responsible laboratory manager quality control

This document has been produced electronically and is valid without a signature.