

CERTIFICATE OF QUALITY

No.: 2105B032

page 1 of 3

PRODUCT: **ALPROSTADIL**
7-{{(1R,2R,3R*)-3-Hydroxy-2-[ε-(3S)-3-hydroxy-1-octenyl]-5-oxocyclopentyl}-heptanoic acid
C₂₀H₃₄O₅ = 354.5
CAS – 745-65-3

BATCH No.: 2104V001

PRODUCTION DATE: 04/2021

ATEST No.: A210096

RETEST DATE: 04/2024

TEST METHOD:	SPECIFICATION:	RESULT:
1. Identification		
a) by IR spectrum	IR spectrum conforms with IR of RS Ph.Eur.	IR spectrum conforms
b) by RT WS HPLC	RT of WS HPLC	RT conforms
2. Appearance		
a) visual	a white or off-white crystalline material	a white crystalline material
b) by absorbance	the sum of absorbance NMT 0.150	0.004
3. Assay (HPLC, calculated with reference to anhydrous substance, abs. %):		
	96.0 - 102.5 % *	100.3 %
4. HPLC purity (Ph.Eur. HPLC method, norm. %):		
a) PGA ₁	NMT 1.3 %	not detected
b) PGB ₁	NMT 0.1 %	not detected
other impurities		
c) 15-keto-PGE ₁	NMT 0.1 %	not detected
d) 15(R)-PGE ₁	NMT 0.1 %	not detected
e) 11(β)-PGE ₁	NMT 0.5 %	not detected
f) 8-iso-PGE ₁	NMT 0.1 %	not detected
g) PGE ₂	NMT 0.5 %	not detected
h) 5-trans-PGE ₂	NMT 0.5 %	not detected
i) PGE ₁ ethylester	NMT 0.3 %	not detected
j) PGE ₁ isopropylester	NMT 0.3 %	not detected
k) TPPO	NMT 0.5 %	not detected
l) unspecified impurities single	NMT 0.10 %	0,06 %
m) impurities total	NMT 1.5 %	0.1 %

CERTIFICATE OF QUALITY

No.: 2105B032

page 2 of 3

TEST METHOD:	SPECIFICATION:	RESULT:
5. HPLC purity (in-house HPLC method, mol. %):		
a) 14-methyl-PGE ₁	NMT 0.15 %	not detected
b) PGD ₁	NMT 0.1 %	not detected
c) 4-trans-PGE ₂	NMT 0.15 %	not detected
d) 6-trans-PGE ₂	NMT 0.15 %	not detected
e) 13,14-dihydro-PGE ₁	NMT 0.15 %	not detected
f) unspecified impurities single	NMT 0.10 %	0.07 %
6. Water content		
	NMT 0.5 %	< 0.1 %
7. Residue on ignition		
	NMT 0.5 %	< 0.1 %
8. Spec. optic rotation (c=1, ethanol) [α] _D ²⁰		
	-70.0° to -60.0°	- 68.0°
9. Content of solvents (USP GC method):		
a) Acetone	NMT 0.5 %	< 0.5 %
b) Chloroform	NMT 10 ppm	not detected
c) <i>n</i> -Hexane	NMT 290 ppm	not detected
d) Dichloromethane	NMT 5 ppm	not detected
e) Tetrahydrofurane	NMT 10 ppm	not detected
f) Ethyl acetate	NMT 300 ppm	not detected
g) <i>tert.</i> Butyl methyl ether	NMT 300 ppm	not detected
h) Methyl alcohol	NMT 300 ppm	not detected
i) Isopropyl alcohol	NMT 300 ppm	not detected
j) <i>n</i> -Heptane	NMT 300 ppm	not detected
k) Toluene	NMT 20 ppm	not detected
l) <i>n</i> -Pentane	NMT 300 ppm	< 300 ppm
11. Heavy metals:		
a) rhodium content	NMT 20 ppm	6 ppm
b) chromium content	NMT 20 ppm	< 1 ppm

CERTIFICATE OF QUALITY

No.: 2105B032

page 3 of 3

TEST METHOD:	SPECIFICATION:	RESULT:
12. Microbial testing (CFU/g):		
Total aerobic microbial count	NMT 10^2 (2×10^2) CFU/g	<10 CFU/g
Total yeasts & moulds count	NMT 10^1 (2×10^1) CFU/g	< 10 CFU/g
Specific microorganisms:		
- Bile-tolerant G^- bacteria	0 CFU/g	not found
- Salmonella sp.	0 CFU/g	not found
- Escherichia coli	0 CFU/g	not found
- Staphylococcus aureus	0 CFU/g	not found
- Pseudomonas aeruginosa	0 CFU/g	not found

* 95.0 - 102.5 % at re-testing

RESULT: Product has been manufactured in accordance with principles of GMP as detailed in ICH Guideline Q7A

Product conforms to the specification in SBR380K/08, App. No. 2

Note: Product conforms to the specification in Ph. Eur. 10 and Microbial testing of product conforms to the specification in Ph. Eur. 10, harmonised method.



Dagmar Goldšmídová

Ing. Dagmar Goldšmídová
 Authorized Person
 (pursuant to EudraLex 4/II, §2.14 & §2.32.1)

Date: May 21, 2021

