

**Scharlab S.L.**

Crtra.Polinya a Sentmenat, Km 8,2

08181 Sentmenat

☎ +34937456400

✉ helpdesk@scharlab.com

CERTIFICATE OF ANALYSIS**ET0003_22924401/1**

Product Ethanol 96% v/v, Pharpur®, Ph Eur, BP

Batch 22924401

ET0003

Quality release date 28/06/2022

Expiry date 06/2027

Analysis	Batch value	Specifications
Assay (v/v)	96,32 %	95,1 - 96,9
Assay (w/w)	94,31 %	92,6 - 95,2
Identification IR	passes test	passes test
Identification C (EP)	passes test	passes test
Identification D (EP)	passes test	passes test
Density (20°/20°)	0,8053 g/mL	0,805 - 0,812
Appearance	Clear and colourless	clear and colourless
Acidity or alkalinity	passes test	passes test
UV Spectroscopy in a 5,0 cm cell:		
max. absorbance at 240 nm	0,225 AU	≤ 0,40
max. absorbance between 250 and 260 nm	0,090 AU	≤ 0,30
max. absorbance between 270 and 340 nm	0,005 AU	≤ 0,10
Volatile impurities:		
Methanol	< 200 ppm v/v	≤ 200
Acetaldehyde + acetal (as acetaldehyde)	< 10 ppm v/v	≤ 10
Benzene	< 2 ppm v/v	≤ 2
Total of other impurities	< 300 ppm	≤ 300
Residue on evaporation	0,8 ppm m/v	≤ 25

This product is intended to be suitable for the manufacture of pharmaceuticals, medical devices, cosmetics and food products, but is entirely under the user's responsibility.