

Certificate

PHENOXYBENZAMINE NITRILE

(3-[Benzyl(1-phenoxypropan-2-yl)amino]propanenitrile)

USP Catalog No.: 1526030 USP Lot No.: F115G0

CH₃ 	CAS No. Not yet assigned
	Molecular Formula C ₁₉ H ₂₂ N ₂ O
	Molecular Weight 294.40
CN	



LABEL TEXT

For use with specified USP compendial tests. Not for use as a drug. See SDS prior to use at www.usp.org/sds. _____



PHENOXYBENZAMINE NITRILE 50 mg

(3-[Benzyl(1-phenoxypropan-2yl)amino]propanenitrile)

Labeled for qualitative use. Before opening, allow ampule and contents to equilibrate to ambient temperature. Dispose of unused portion after opening. Protect from light. Store in a freezer.

See certificate for any additional information information.

USP,12601 Twinbrook Pkwy, Rockville, MD, +1-301-881-0666 Cat. No. 1526030 Material mfd. in China



Jeri L. Joth

Quality Assurance

 $\label{lem:copyright} \textbf{Copyright 2018 The United States Pharmacopeial Convention. All rights reserved.}$

USP Certificate

USP Template No.: CERT1-06

Template Effective Date: September 11, 2018

Certificate Date: 17SEP2019 Certificate Version: 00

Page 2 of 3



Assigned Value

Please refer to the USP Reference Standard label for the assigned value of the specific lot. If the lot was developed for qualitative use, it will not have an assigned value.

Valid Use Date

It is the responsibility of the user to ascertain that a particular lot of a USP Reference Standard has official status either as a "Current lot" or as a "Previous lot" within the assigned valid use date. The online USP Reference Standards Catalog and the online USP Store at www.usp.org are updated daily. USP recommends referring to one of these sources prior to using a USP Reference Standard to make sure the lot is valid for use.

Storage

Storage conditions are lot-specific and may change from one lot to another. If no specific directions or limitations are provided on the USP Reference Standard label, the conditions of storage shall include storage at room temperature and protection from moisture, light, freezing, and excessive heat.

Instructions for Use

Follow the instructions provided on this Certificate, on the label of the USP Reference Standard, and in the associated USP documentary standard(s). Please refer to General Chapter <11> for additional information.

Non-USP Compendial Use

USP Reference Standards are for use in analytical or laboratory applications as specified in USP compendia. They are not for use in humans or animals as drugs or medical devices. It is the responsibility of the user to determine the suitability of the USP Reference Standard for non-USP compendial uses.

LEGAL NOTICE

USP WARRANTS GOOD TITLE TO USP REFERENCE STANDARDS ON DISPATCH FROM USP. THE FOREGOING WARRANTY IS IN LIEU OF ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, OR ANY WARRANTY THAT THE PRODUCTS, INCLUDING THIS CERTIFICATE, ARE OF MERCHANTABLE QUALITY. USP'S LIABILITY ARISING OUT OF OR RELATING TO THE SUPPLY OF USP REFERENCE STANDARDS AND THIS CERTIFICATE SHALL IN NO EVENT INCLUDE LOSS OF PROFITS, COST OF PROCURING SUBSTITUTE GOODS OR SERVICES, OR ANY INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES OF ANY KIND, EVEN IF USP IS AWARE OF THE POSSIBILITY OF SUCH DAMAGES. WITHOUT LIMITING THE GENERALITY OF THE FOREGOING, USP DOES NOT WARRANT THAT THE USE OR RESALE OF USP REFERENCE STANDARDS, INCLUDING THEIR USE TO PERFORM TESTS AND ASSAYS PUBLISHED BY USP, WILL NOT INFRINGE UNITED STATES OR ANY OTHER PATENTS.

USP Reference Standards are not intended for use as drugs, dietary supplements, or as medical devices.

This certificate may not be reproduced without the express written permission of USP.

Copyright 2018 The United States Pharmacopeial Convention. All rights reserved. USP Certificate

USP Template No.: CERT1-06

Template Effective Date: September 11, 2018

Certificate Date: 17SEP2019 Certificate Version: 00

Page 3 of 3