QUALITY CONTROL

Caesar & Loretz GmbH Herderstr. 31 40721 Hilden

Phone: 02103/49940

Certificate of analysis



1 110110: 02100/10010				
Article	4185	Cholinchlorid	•	
Synonym Synonym		Cholinii chloridum, Cholinum chloratum Choline chloride		
Specification	DAC 2020/2			
Production date	12.2020	Retest date	12.2023	
Test		Specification	Result	
Characters		According to specification	Complies	
Appearance		According to specification	Complies	
Solubility		According to specification	Complies	
Identification		According to specification	Complies	
IR spectrophotometry		According to specification	Complies	
C		According to specification	Complies	
Tests		According to specification	Complies	
Appearance of solution		According to specification	Complies	
Acidity or alkalinity		According to specification	Complies	
Related substances		According to specification	Complies	
Ammonia, volatile amines		According to specification	Complies	#
Ammonia, primary amines		Max. 0,5	< 0,5 ml 0,02 M NaOH	#
Ethylene oxide		Max. 1 ppm	0 ppm	
Dioxan		Max. 10 ppm	0 ppm	
Loss on drying		Max. 1,5 %	0,8 %	
Sulphated ash		Max. 0,1 %	< 0,1 %	#
Assay		98,5 101,5 %	100,7 %	

Complies specification

Yes

QUALITY CONTROL

Caesar & Loretz GmbH Herderstr. 31 40721 Hilden

Phone: 02103/49940

Certificate of analysis



Article 4185 Cholinchlorid

Synonym Cholinii chloridum, Cholinum chloratum

Synonym Choline chloride

Batch 21002730

Specification DAC 2020/2

Production date 12.2020 Retest date 12.2023

Release date 08.09.2021 Released by Frau Apoth. Brunk

Results marked with # were taken from the manufacturer's certificate.

The batch 21002730 complies specification.

This document has been generated automatically and is valid without signature.

Print date (mm-dd-yy) 09-08-21 Page 2 of 2