

CERTIFICATE OF ANALYSIS

BICALUTAMIDE Ph.Eur.

Format No. : QA/FM-235/01

Batch No. : BL-22013(JM-01)-001	Date of Mfg. : JUN-2022
AR. No. : FG/0383/22	Date of Exp. : MAY-2027
Batch Qty. : 111.240 Kg	Date of Release : 23/07/22
CEP No. : R1-CEP 2012-223-Rev 01	

Sr. No.	TESTS	RESULTS	SPECIFICATION
1.	Description	White powder.	White or almost white powder.
2.	Solubility	Complies	Practically insoluble in water, freely soluble in acetone, slightly soluble in anhydrous ethanol and in methylene chloride.
3.	Identification (By IR)	Complies	The Infra Red spectrum of Sample should concordant with similar preparation of that of Bicalutamide WS.
4.	Loss on drying (at 105°C for 4 hours)	0.21 %	Not more than 0.5%
5.	Sulfated ash	0.04 %	Not more than 0.1%
6.	Related substances (By HPLC) Test- A	Not detected	Impurity C : Not more than 0.15%
		Below disregard limit	Unspecified impurities
		Below disregard limit	Impurity A : Not more than 0.10%
		Below disregard limit	Impurity B : Not more than 0.10%
		Not detected	Impurity D : Not more than 0.10%
		Not detected	Impurity E : Not more than 0.10%
		Not detected	Impurity F : Not more than 0.10%
		Not detected	Impurity J : Not more than 0.10%
		Not detected	Impurity M : Not more than 0.10%
		Below disregard limit	Any other impurity : Not more than 0.10%
		Below disregard limit	Total impurities : Not more than 0.5%
	Test -B	Not detected	4-Amino-2- Trifluoromethylbenzonitrile (ATM) : Not more than 10 ppm
		Not detected	4-Amino-3-trifluoromethylbenzonitrile (ATM isomer) : Not more than 10 ppm
		Not detected	2,3-Epoxy-2-methyl-N-[4-cyano-3- (trifluoromethyl) phenyl] propanamide(BA-II) : Not more than 10 ppm
7.	Assay (By HPLC)	99.82 %	Not less than 98.5% w/w and Not more than 101.0% w/w on dried basis.

Page 1 of 2

AARTI PHARMALABS LIMITED

www.aartipharmalabs.com | CIN : L24100GJ2019PLC110964 | Email : info@aartipharmalabs.com

Factory : Unit-IV, Plot No. E - 50, 50/1, 59/1, M.I.D.C., Tarapur, Taluka & District - Palghar, PIN 401 506, Maharashtra, INDIA, T : +91 89830 35452 / +91 252 568 2100
Admin Office : 204, Udyog Kshetra, 2nd Floor, Mulund - Goregaon Link Road, Mulund (W), Mumbai, PIN - 400 080, Maharashtra, INDIA, T : +91 22 67976666 | F : +91 22 25653234
Regd. Office : Plot No. 22-C/1 & 22-C/2, 1st Phase, G.I.D.C., Vapi 396 195, District - Valsad, Gujarat, INDIA, T : +91 260 2400467, +91 99099 94655

BICALUTAMIDE Ph.Eur.
Format No. : QA/FM-235/01

Batch No. : BL-22013(JM-01)-001	Date of Mfg. : JUN-2022
AR. No. : FG/0383/22	Date of Exp. : MAY-2027
Batch Qty. : 111.240 Kg	Date of Release : 23/07/22
CEP No. : R1-CEP 2012-223-Rev 01	

Sr. No.	TESTS	RESULTS	SPECIFICATION
8.	Residual Solvents (By HSGC)	3 ppm	Acetone : Not more than 5000 ppm
		124 ppm	Ethyl formate : Not more than 5000 ppm
		8 ppm	Dichloromethane : Not more than 600 ppm
		Not detected	Ethyl Acetate : Not more than 5000 ppm
		Not detected	Toluene : Not more than 890 ppm
9.	Polymorphism (By XRD)	Complies	The XRD peak at 2 Theta value at 12.3 ($\pm$ 0.2) should be present. Pattern matches with that of standard XRD spectrum of polymorph form I.

Additional Test

1.	Particle Size	6.83 μ m	D(90):Not more than 10 μ m
----	---------------	--------------	--------------------------------

Remark: The material Complies as per Ph.Eur. and above specification.

Prepared By	Checked By	Approved By
20 07/04/23	S. Singh 07/04/23	Ammy 07/04/23
Executive/Designee Quality Assurance	Manager/Designee Quality Assurance	Head Quality Assurance/ Quality Control/Designee

Page 2 of 2

AARTI PHARMALABS LIMITED
www.aartipharmalabs.com | CIN : L24100GJ2019PLC110964 | Email : info@aartipharmalabs.com

Factory : Unit-IV, Plot No. E - 50, 50/1, 59/1, M.I.D.C., Tarapur, Taluka & District - Palghar, PIN 401 506, Maharashtra, INDIA, T : +91 89830 35452 / +91 252 568 2100
Admin Office : 204, Udyog Kshetra, 2nd Floor, Mulund - Goregaon Link Road, Mulund (W), Mumbai, PIN - 400 080, Maharashtra, INDIA, T : +91 22 67976666 | F : +91 22 25653234
Regd. Office : Plot No. 22-C/1 & 22-C/2, 1st Phase, G.I.D.C., Vapi 396 195, District - Valsad, Gujarat, INDIA, T : +91 260 2400467, +91 99099 94655