

Lbiocause

湖北亨迪药业股份有限公司 HUBEI BIOCAUSE HEILEN PHARMACEUTICAL CO.,LTD

Certificate of Analysis

COS covered batch. COS No.: RI-CEP 2002-099-Rev 07

Product: Ibuprofen Batch#:C100-2101224M Manufacturing Date:2021.01.18

Test Standard: EP10.0 Quantity:960kg

Testing Date:2021.01.20

No.:210224

Expiry Date: 2026.01.17

Items	Specificati	
Characteristics	Specifications White Crystalline Powder	Results
Solubility	Practically insoluble in water for I	Conforms
		. 9
	The state of the s	Conforms
Identification	A. Weiting Point: 75.0—78.0°C	75 5 5 5 5
Optical Rotation	C. IR Spectral Match	75.5-76.4°C
Appearance of Solution	-0.05° $+0.05^{\circ}$	Conforms
represented of Solution	Clear and Colorless	0.00°
Related Substances	2-[3-(2-methylpropyl)phenyl]propanoic acid(Impurity A): no more than 0.15%	Conforms
	more than 0.15% acid(Impurity A): no	0.03%
	2-[4-(2-methylpropanoyl)phenyl]propanoic acid(Impurity J): not more than 0.15%	Not detected
	2-(4-methylphenyl)propanoic acid(Impurity D): not more than 0.05%	
	0.05% acid(Impurity D): not more than	Not detected
	2-(4-ethylphenyl)propanoic acid(Impurity N): not more than 0.15%	Not detected
	2-(4-propylphenyl)propanoic acid: not more than 0.05%	0.01%
	2-(4-butylphenyl)propanoic acid(Impurity B): not more than 0.05%	
		Not detected
	Any unknown impurity: not more than 0.05% Total impurities: not more than 0.2%	0.031%
Loss on Drying	Not More Than 0.5%	0.09%
Sulfated Ash	Not More Than 0. 1%	0.13%
Assay(Dry Basis)	98. 5 - 101. 0%	0.01%
Residual solvents	Petroleum ether not more than 250ppm	99.9%
	Methanol not more than 3000ppm	51ppm
	Toluene not more than 890ppm	Not detected
		Not detected
bulk Density	ADDITIONAL TESTS 0.25-0.50g/ml	
apped Density	0.50-0.75g/ml	0.37g/ml
ledian Particle Size	60.00	0.60g/ml
	meets EP specifications.	70.1um

*Note: The test for impurity F described in the monograph is not necessary since this impurity cannot be present with the Qc supervisor: 廖敏杰 Checked by: 曾涓涓

Analyst(s): 欧苗 郭丽 吕玄

许军 周成 曾峥