

**Scharlab S.L.**

Crtra.Polinya a Sentmenat, Km 8,2

08181 Sentmenat

☎ +34937456400

✉ helpdesk@scharlab.com

CERTIFICATE OF ANALYSIS**TE0225_24325812/1****Product** Tetrahydrofuran, HPLC grade, without stabilizer**Batch** 24325812**TE0225****Quality release date** 23/11/2023**Expiry date** 05/2025

Analysis	Batch value	Specifications
Assay (G.C.)	99,99 %	≥ 99,9
Identity (IR-Spectrum)	passes test	passes test
Density (20°/4°)	0,8879 g/mL	0,887 - 0,889
Acidity	0,00011 meq/g	≤ 0,0002
Alkalinity	< 0,0002 meq/g	≤ 0,0002
Peroxides (as H ₂ O ₂)	0,0019 %	≤ 0,02
Residue on evaporation	0,0001 %	≤ 0,0001
Water (K.F.)	0,0167 %	≤ 0,02
UV Spectroscopy in a 1,0 cm cell:		
min. transmission at 230 nm	39,92 %	≥ 35
min. transmission at 243 nm	52,48 %	≥ 50
min. transmission at 273 nm	90,12 %	≥ 90
max. absorbance at 230 nm	0,399 AU	≤ 0,456
max. absorbance at 243 nm	0,280 AU	≤ 0,301
max. absorbance at 273 nm	0,045 AU	≤ 0,046

Microfiltered through membranes of pore diameter 0,22 µm.

For laboratory use only.