## **QUALITY CONTROL**

Caesar & Loretz GmbH Herderstr. 31 40721 Hilden

Phone: 02103/49940

## **Certificate of analysis**



Article	2553	Procainhydrochlorid, API
---------	------	--------------------------

Synonym Procaini hydrochloridum

Synonym Procaine hydrochloride, API

Batch 23000279

Specification Ph.Eur.10.0

Production date 10.2022 Retest date 10.2025

Test	Specification	Result	
Characters	According to specification	Complies	
Identification	According to specification	Complies	
Melting point	154 158 °C	156 °C	
IR spectrophotometry	According to specification	Complies	
E	According to specification	Complies	
Tests	According to specification	Complies	
Appearance of solution	According to specification	Complies	
pH-Value	5,0 6,5	5,6	
Related substances	According to specification	Complies	#
Loss on drying	Max. 0,5 %	0,2 %	
Sulphated ash	Max. 0,1 %	0,0 %	#
Assay	99,0 101,0 %	100,0 %	#
Correction factor weighing (f, NRF)	1,002		
Complies specification	Yes		

Release date	06.03.2023	Released by	Frau Apoth. Dr.
			Schücker OP

Manufacturer Chongqing Southwest No.2

Manufacturer batch 2210001H

Manufacturer street No.555,Lanxi Road, Degan Street

Manufacturer city 402263 Jiangjin District, Chongqing

Manufacturer country

Volksrepublik China \*\*

GMP-compliant production and testing of the active pharmaceutical ingredients

Results marked with # were taken from the manufacturer's certificate.

The batch 23000279 complies specification.

This document has been generated automatically and is valid without signature.

Print date (mm-dd-yy) 03-06-23 Page 1 of 1