3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.com
Email USA: techserv@sial.com
Outside USA: eurtechserv@sial.com

Outside OSA. editechservesial.

## Certificate of Analysis

Maleic acid - ReagentPlus®, ≥99% (HPLC)

Product Name:

Product Number:M0375Batch Number:SLCQ7993Brand:SIALCAS Number:110-16-7

MDL Number: MFCD00063177

Formula: C4H4O4

Formula Weight: 116.07 g/mol

Quality Release Date: 23 MAR 2023

Recommended Retest Date: MAR 2029

0	0
Ц	Ц
но^_=	=⁄^он

Test	Specification	Result	
Appearance (Color)	White	White	
Appearance (Form)	Pow der	Pow der	
Solubility (Color)	Colorless	Colorless	
Solubility (Turbidity)	Clear	Clear	
333 mg/mL, H2O			
Water (by Karl Fischer)	≤ 2.0 %	0.1 %	
Residue on Ignition	< 0.1 %	0.0 %	
1H NMR Spectrum	Conforms to Structure	Conforms	
Purity (HPLC)	> 99 %	100 %	

Brian Dulle, Supervisor Quality Assurance St. Louis, Missouri US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Version Number: 1 Page 1 of 1