## **Antibiotice** Science and soul





## **CERTIFICATE OF ANALYSIS No. 114608**

Product	NYSTATIN Non-micronized Active Substance	
Analysis Record: 29.10.2024	Batch No. 401 3020	Quantity: 160.755 kg
We S.C. ANTIBIOTICE S.A., as a manufacturer of Nystatin here GMP Compliance of Manufacturer No. 037/2022/RO issued by This batch has been manufactured, packaged and tested in ac	by certify that this batch has been produced by us in full compliance with the Certificate of NAMMD, valid starting with 06.12.2022. cordance with EU GMP Guideline volume 4 part II (ICHQ7).	Mfg. Date 10.2024 Re-test Date 10.2027
ANALYSES PERFORMED	ACCEPTANCE CRITERIA*	RESULTS
Appearance	A yellow or slightly brownish powder, hygroscopic.	corresponds
Solubility	Practically insoluble in water, freely soluble in dimethylformamide and in dimethyl sulphoxide, slightly soluble in methanol, practically insoluble in alcohol.	corresponds
Identification First indentification: B,E Second identification: A,C,D Identification A (UV):		
A 291 / A 305 nm A 319 / A 305 nm A 230 / A 280 nm	0.61 to 0.73 0.83 to 0.96 0.83 to 1.25	0.65 0.91 1.07
Identification B. IR	The spectrum obtained with the test solution must be similar with the IR spectrum obtained with Nystatin CRS	corresponds
Identification C. Colour reaction	A brown colour develops	corresponds
Identification D. Colour reaction	A brown colour develops that becomes violet on standing	corresponds
Identification E. HPLC	The principal peak in the chromatogram obtained with the test solution is similar in retention time to the principal peak in the chromatogram obtained with reference solution (a).	corresponds
Absorbance (at 305 nm)	Not less than 0.60	0.7276
Composition: - Nystatin A1 - Any other compound	Minimum 85.0 % Maximum 4.0 %	89.76 1.71
pH of the aqueous suspension 3%	Between 6.00 and 8.00	7.74
Loss on drying	Maximum 5.00 %	3.67
Sulphated ash	Maximum 3.50 %	0.89
Assay Potency of Nystatin	Minimum 5000 IU/mg (dried substance)	6616
Residual solvents: Methanol Acetone	NMT 0.3 % NMT 0.5 %	0.02 0.26
Microbiological quality TAMC, CFU/g TYMC, CFU/g	NMT 10 <sup>3</sup> NMT 10 <sup>2</sup>	30
Particle size 90 % of particles	NMT 45 μm	31.15

\*Current edition of EP Pharmacopoeia
STORAGE: Store in the original package, protected from light. No special temperature storage conditions are required.
We recommend that the product to be stored below 25°C.
Complies with S-SA 275/1 rev.07, EP

**Quality Control** Manager Simona Olexici de 08.4.204

Geanina Rad - 08-11.

ntibiotice s Manager of Physico-Chemical Analyses Laboratory Cantibiotice Con

Manager of Microbiological Analyses Laboratory Irina Popa

Pp. 08.11. 2024

08.11.2024

1, Valea Lupului Street Iași 707410, România

P +40 232 209 000 P +40 372 065 000 F +40 232 209 633

RO 1973096 122-285-1991 E office antibiotice.ro

## **Antibiotice** Science and soul





CERTIFICATE OF ANALYSIS No. 114608

Product	NYSTATIN Non-micronized Active Substance	
Analysis Record: 29.10.2024	Batch No. 401 3020	Quantity: 160.755 kg
This batch has been manufactured, packaged and test	ed in accordance with EU GMP Guideline volume 4 part II (ICHQ7).	Mfg. Date 10.2024 Re-test Date 10.2027
ANALYSES PERFO	RMED ACCEPTANCE CRITERIA*	RESULTS
Description	Yellow to light tan powder. Is hygroscopic, and is affected by long exposure to light, heat, and air.	corresponds
Solubility	Freely soluble in dimethylformamide and in dimethyl sulfoxide; very slightly soluble in methanol; practically insoluble or insoluble in water, in alcohol, in n-propyl alcohol, in n-butyl alcohol, in chloroform, and in ether.	Address of the second of the s
Identification A. Infrared spectroscopy B. HPLC	A. The IR spectrum obtained with the test solution must be similar with the IR spectrum obtained with Nystatin USP.  B. The retention time of the major peak of the Sample solution corresponds to that of the Standard solution, as	corresponds
Assay (potency)	obtained in the test for Composition.  Not less than 4400 USP Nystatin Units/mg Not less than 5000 **USP Nystatin Units/mg	corresponds 6375
Composition: - Nystatin A1 - Any other individual component	Minimum 85.0 % Maximum 4.0 %	88.94 1.69
Residual solvents: - Methanol - Acetone	NMT 0.3 % NMT 0.5 %	0.02 0.26
*Crystallinity	The particles show birefringence	corresponds
off the aqueous suspension 3%)	Between 6.00 and 8.00	7.74
Particle size 90 % of particles	Not more than 45 µm	31.15
oss on drying	Not more than 5.00 %	0.73
*Suspendibility	Not less than 90.0 %	93.3
dicrobiological quality TAMC, CFU/g TYMC, CFU/g	Not more than 10 <sup>3</sup> Not more than 10 <sup>2</sup>	30
rrent edition of USP Pharmacoppela		08.11.2024

\*Current edition of USP Pharmacopoela
\*\*The parameter should meet the requirements only when the product is intended for use in the extemporaneous preparation of oral suspensions.

STORAGE: Store below 25°C, in the original packaging, protected from light. Complies with the specification No. 275/2 Rev. 07, USP

**Quality Control** Manager Simona Olexici Sle 08. 4. 204

vibiotice S Manager of Physico-Chemical Analyses Laboratory Geanina Rad

Analyses Laboratory
Irina Popa 2 08 U 2024

Manager of Microbiological

Partipiotice 2 RO 1973096 122-285-1991

lasi Romania Enflice antibiotice ro www.antibiotice.ro

1, Valea Lupulul Street laşi 707410, România

P +40 232 209 000

P +40 372 055 000 F +40 232 209 633