


## Certificate of Analysis

Product Name:

Kojic acid - analytical standard

**Product Number:** 95197  
**Batch Number:** BCCM7501  
**Brand:** SIAL  
**CAS Number:** 501-30-4  
**Formula:** C<sub>6</sub>H<sub>6</sub>O<sub>4</sub>  
**Formula Weight:** 142,11 g/mol  
**Quality Release Date:** 04 FEB 2025  
**Expiration Date:** DEC 2028



Test	Specification	Result
Appearance (Color)	White to Light Yellow to Light Brown	Faint Beige
Appearance (Form)	Powder or Crystals	Powder
Purity (HPLC)	≥ 99.0 %	100.0 %
Carbon Content		50.78 %
50.71 % (Theory)		
<sup>1</sup> H NMR Spectrum	Conforms to Structure	Conforms

Dr. Reinhold Schwenninger  
Quality Assurance  
Buchs, Switzerland CH

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at [Sigma-Aldrich.com](http://Sigma-Aldrich.com). For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

