

Tel: +86-756-7766777

Fax: +86-756-7767377

ZHUHAI UNITED LABORATORIES CO., LTD.

CERTIFICATE OF ANALYSIS

CONTAINER Nº: DFSU4057369/40' GP

D12071110881		NO:120720028	
Name of product	Amoxicillin Trihydrate Compacted	Batch NO.	30912078027
Packing	25.00kg/drum	Pieces	40 drums +1drum
Batch Weight	1027.26kg	Specifications	EP and Enterprise standard
Mfg. Date	14/07/2012	Exp.Date	06/2015
Date of testing	14/07/2012	Date of report	20/07/2012
Storage	Store in the airtight container		1 -0.0.,2012
CEP: No R0-CEP2007-	191-Ray 02		

TESTS	SPECIFICATIONS	RESULTS	CONCLUSION
(APPEARANCE)	A white or almost white crystalline powder and granule. A white crystalline powder and granule.		Conforms
(IDENTIFICATION)	Examine by IR absorption spectrophotometry. comparing with the spectrum obtained with amoxicillin trihydrate CRS	Conforms	Conforms
[SOLUBILITY]	It slightly soluble in water, very slightly soluble in ethanol (96 percent), practically insoluble in fatty oils. It dissolves in dilute acids and dilute solutions of alkali hydroxides.	Conforms	Conforms
Appearance of solution	Not more opalescent than reference suspension II (0.5M hydrochloric acid)	<reference i<="" suspension="" td=""><td>Conforms</td></reference>	Conforms
	Not more opalescent than reference suspension II (dilute ammonia R2)	<reference i<="" suspension="" td=""><td></td></reference>	
рН	3.5 to 5.5	4.5	Conforms
Specific optical rotation Related substances	+ 290 to + 315	+300	Conforms Conforms
Any specified impurity	≤1.0%	0.27%	Comornis
Any unspecified impurity	≤ 0.10%	0.04%	
Total impurities	≤ 3.0%	0.74%	
N, N-Dimethylaniline	NMT 20 ppm (Not used in process)	Conforms	Conforms
Water	11.5% to 14.5%	12.8%	Conforms
Sulphated ash	NMT1.0%	0.060%	Conforms
Assay	95.0%~102.0% $C_{16}H_{19}N_3O_5S$ (Calculated on anhydrous	99.6%	Conforms
	basis)		
Residual solvents	busis)		0
a) Acetone	NMT800ppm	54 ppm	Conforms
b) Dichloromethane	NMT600ppm	349ppm	
c) Triethylamine	NMT300ppm	61 ppm	
d) N,N-dimethylacetamide	NMT1090ppm	291 ppm	
e) Toluene	NMT600ppm	339 ppm	
f) Pivalic acid	NMT1000ppm	772 ppm	
Bulk Density	0.45 g/ml to 0.65g/ml	0.56 g/ml	Conforms
Tapped Density	NLT0.65g/ml	0.81 g/ml	Conforms
Particle size	NMT15%(≥850 µ m)	4%	Conforms
	NLT55%(850 μ m~180 μ m)	76%	Comornia
	NMT30%(≤180 µ m)	20%	NA

CONCLUSION: The results conform with EP and Enterprise standard

Pharmacopoela quality: Complies with the current editions of USP, EP & BP

Manufactured according to ICH Q7A GMP for APIs

REPORTED BY: CHECKED BY: APPROV

APPROVED BY



