

Tel: +86-756-7766777

Fax: +86-756-7767377

## ZHUHAI UNITED LABORATORIES CO., LTD.

CONTAINER Nº: DFSU4057369/40' GP CERTIFICATE OF ANALYSIS

D12071110881		NO:120720036	
Name of product	Amoxicillin Trihydrate Compacted	Batch NO.	30912078035
Packing	25.00kg/drum	Pieces	40 drums +1drum
Batch Weight	1027.52kg	Specifications	EP and Enterprise standard
Mfg. Date	14/07/2012	Exp.Date	06/2015
Date of testing	14/07/2012	Date of report	20/07/2012
Storage	Store in the airtight container		20/01/2012
CEP: No.R0-CEP2007-	191-Rev 02		

TESTS	SPECIFICATIONS	RESULTS	CONCLUSION
(APPEARANCE)	A white or almost white crystalline powder and granule.	A white crystalline powder and granule.	Conforms
(IDENTIFICATION)	Examine by IR absorption spectrophotometry. comparing with the spectrum obtained with amoxicillin trihydrate CRS	Conforms	Conforms
[SOLUBILITY]	It slightly soluble in water, very slightly soluble in ethanol (96 percent), practically insoluble in fatty oils. It dissolves in dilute	Conforms	Conforms
(TESTS)	acids and dilute solutions of alkali hydroxides.		
Appearance of solution	Not more opalescent than reference suspension II (0.5M hydrochloric acid)	<reference i<="" suspension="" td=""><td>Conforms</td></reference>	Conforms
	Not more opalescent than reference suspension II (dilute ammonia R2)	<reference i<="" suspension="" td=""><td></td></reference>	
pH	3.5 to 5.5	4.5	Conforms
Specific optical rotation + 290 to + 315 +300		+300	Conforms Conforms
Any specified impurity	≤1.0%	0.25%	00111011110
Any unspecified impurity Total impurities	≤ 0.10%	0.04%	
	≤ 3.0%	0.74%	
N, N-Dimethylaniline Water	NMT 20 ppm (Not used in process)	Conforms	Conforms
Sulphated ash	11.5% to 14.5% NMT1.0%	12.8%	Conforms
	95.0%~102.0%	0.060%	Conforms
Assay	$C_{16}H_{19}N_3O_5S$ (Calculated on anhydrous	99.5%	Conforms
	basis)		
Residual solvents			Conforms
a) Acetone	NMT800ppm	56 ppm	
b) Dichloromethane	NMT600ppm	364ppm	
c) Triethylamine d) N,N-dimethylacetamide	NMT300ppm	59 ppm	
e) Toluene	NMT1090ppm	251 ppm	
f) Pivalic acid	NMT600ppm	324 ppm	
Bulk Density	NMT1000ppm	676 ppm	
Tapped Density	0.45 g/ml to 0.65g/ml NLT0.65g/ml	0.53 g/ml	Conforms
Particle size	NLT0.65g/mi NMT15%(≥850 µ m)	0.77 g/ml 4%	Conforms
	NLT55%(850 μ m~180 μ m)	77%	Conforms
	NMT30%(≤180 µ m)	19%	

CONCLUSION: The results conform with EP and Enterprise standard

Pharmacopoeia quality: Complies with the current editions of USP, EP & BP Manufactured according to ICH Q7A GMP for APIs REPORTED BY:

万包葱

APPROVED BY