

CERTIFICATE OF ANALYSIS

PRODUCT : DILTIAZEM HCl (MICRONISED)		COMPENDIA : Ph.Eur.-7.4
BATCH NO. : DIL/M-11212		QUANTITY : 500 Kg
MFG. DATE : NOVEMBER.2012		EXP. DATE : OCTOBER.2017
QC A.R. No.: FP/298/2012		
TESTS	RESULTS	SPECIFICATIONS
01. CHARACTERS		
i. Appearance	A white, crystalline powder.	White or almost white, crystalline powder
ii. Solubility	Freely soluble in water, in methanol and in methylene chloride, slightly soluble in anhydrous ethanol	Freely soluble in water, in methanol and in methylene chloride, slightly soluble in anhydrous ethanol
iii. Melting point	Melted at 213°C with decomposition.	Melts at about 213° C with decomposition.
02. IDENTIFICATION		
IR Absorption	Concordant with working standard	IR Absorption spectrum of the sample is concordant with that of the Diltiazem hydrochloride CRS / working standard
CHLORIDES	Conforms	It gives reaction to chlorides
03. APPEARANCE OF SOLUTION		
04. pH	Clear and colorless	Clear and colourless.
05. SPECIFIC OPTICAL ROTATION	4.8	4.3 to 5.3
06. RELATED SUBSTANCES	+117°	+ 115° to + 120°
i. Impurity F	Not Quantified	Not more than 0.2% w/w
ii. Unspecified Impurities	Not Quantified	Not more than 0.10% w/w each
iii. Total Impurities	Not Quantified	Not more than 0.30% w/w
07. HEAVY METALS	Less than 10 ppm	Not more than 10 ppm
08. LOSS ON DRYING	0.15%	Not more than 0.50% w/w
09. SULPHATED ASH	0.03%	Not more than 0.10% w/w
10. ASSAY (By Titration) (On dried basis)	99.94%	Not less than 98.50% w/w and Not more than 101.00% w/w
<u>ADDITIONAL TEST:</u>		
PARTICLE SIZE		
100%	73 Microns	100% Less than 100 Microns
Surface Area	1.66 m ² /gm	For Information
RESIDUAL SOLVENTS		
Toluene	241 ppm	Not more than 750 ppm
Methanol	172 ppm	Not more than 500 ppm
Isopropyl Alcohol	3 ppm	Not more than 1000 ppm
Ethyl Acetate	1 ppm	Not more than 2500 ppm
Bulk Density	0.31 g/ml	For Information
Tapped Density	0.51 g/ml	For Information

REMARKS: The product conforms to Ph.Eur.-7.4 & Customer's Specifications


Prepared by
Executive-QC


Checked by
Manager-QC


Approved by
General Manager-QC

Factory : Digwal Village, Kohir Mandal, Medak Dist. 502321, Andhra Pradesh, India

T +91 8451 287508 F +91 8451 287553 W www.piramalhealthcare.com

Admin. Off : 5-9-30 Road # 4, Basheerbagh Palace Colony, Basheerbagh, Hyderabad 500 063, India

T +91 40 2322 6719 F +91 40 2326 6041 / 82

Regd. Off : Nicholas Piramal Tower, Peninsula Corporate Park, Ganpatrao Kadam Marg, Lower Parel, Mumbai - 400 013.

T +91 22 3046 6666 F +91 22 2493 6708