



Divi's Laboratories Limited

CERTIFICATE OF ANALYSIS

Product: LEVETIRACETAM		Rev. No.	OS/13/01
Grade	EP	Q.A.R No.	DUI/FP/1301/000476
Batch Number	OS-0060113	Mfg. date	JAN 2013
Quantity	675 KG	Relest date	DEC 2017
		SL.No	OS-048S
		Total pages	1
		Page No.	1

STANDARD (PHARMACOPOEIAL)			
SL.No.	Test	Specification	Observation
01	Appearance	White or almost white powder	White crystalline powder
02	Solubility	Very soluble in water, soluble in Acetonitrile and practically insoluble in Hexane	Complies
03	Identification by a) Specific Optical Rotation b) IR Spectrum	-76° to -82° Conforms with working standard spectrum	-80.17° Concordant with WS
04	Appearance of solution	The solution is clear and not more intensely colored than reference solution BY ₆	Complies
05	Enantiomeric Purity by HPLC (Area%) (2R)-2-(2-oxopyrrolidin-1-yl)butanamide ((R)-levetiracetam)- (Impurity-D)	Maximum 0.8%	0.02%
06	Related substances by HPLC (%w/w) i) (2RS)-2-(2-oxopyrrolidin-1-yl)butanoic acid (Impurity-A) ii) (2Z)-2-(2-oxopyrrolidin-1-yl)but-2-enamide (Impurity-B) iii) Unspecified impurity iv) Sum of Unspecified impurities v) Total impurities	Not more than 0.3% Not more than 0.05% Not more than 0.05% Not more than 0.1% Not more than 0.4%	Not detected Not detected Not detected Not detected 0.01%
07	Heavy metals	Not more than 10 ppm	Less than 10 ppm
08	Water	Maximum 0.5%w/w	0.04%w/w
09	Sulphated ash	Not more than 0.1%w/w	0.05%w/w
10	Assay by HPLC (Anhydrous substance)	Between 98.0%w/w and 102.0%w/w	99.52%w/w
ADDITIONAL TEST			
11	Triethylamine	Not more than 15 ppm	4 ppm
12	Residual solvents i) Methylene chloride ii) Chloroform iii) Ethyl acetate iv) Isopropyl alcohol	Not more than 100 ppm Not more than 60 ppm Not more than 200 ppm Not more than 1000 ppm	Not detected Not detected Not detected 171 ppm

Remarks: "The above material fully conforms to the Pharm.Eur. Specification and the additional requirements of the European Certificate of Suitability R0 - CEP 2011 - 219-REV 00"

	Analyst	Person in-charge of testing
Signature	25/02/13	25/02/13

"An ISO-9001, ISO-14001 and OHSAS-18001 Triple certified company"
FACTORY : UNIT-1, Lingojigudem Village, Choutuppal Mandal, Nalgonda District, Andhra Pradesh - 508 252, INDIA.
 Tel. : +91-8694 257001, Fax : +91-8694 257006
CORPORATE OFFICE : DIVI Towers, 7-1-77/E/1303, Dharam Karan Road, Amcerpet, Hyderabad - 500 016, INDIA.
 Tel. : +91-40-2378 6300 / 400, Fax : +91-40-2378 6460
 E-mail : mail@divilaboratories.com, Website : www.divilaboratories.com.