

QUALITY CONTROL DEPARTMENT

LAMOTRIGINE Ph. Eur.

CERTIFICATE OF ANALYSIS

Commercial batch #	: LAM/1305039	Dispatch Qty.	: 350.00 Kg
In-house Batch #	: 4LAM3/13031	Batch Qty.	: 355.40 Kg
Mfg. Date	: May – 2013	Expiry date	: April – 2018
Specification #	: QCD/SP/FP/LAM/001-R <sub>6</sub>	Method #	: QCD/MH/FP/LAM/001-R <sub>6</sub>

Sl. #.	TESTS	OBSERVATIONS	STANDARD LIMIT
1	Characters - Appearance - Solubility	White powder Meets the requirement	White or almost white powder Very slightly soluble in water, Slightly soluble in anhydrous ethanol.
2	Identification by IR absorption	Meets the requirement	IR spectrum in KBR dispersion of sample should be concordant with that of reference/working standard.
3	Heavy metals	Less than 10 ppm	Not more than 10 ppm
4	Loss on drying at 105°C [at a pressure not exceeding 5.25 mmHg (0.7 kPa) for 3 hrs]	0.19%	Not more than 0.5%
5	Sulphated ash	0.03%	Not more than 0.1%
6	Related substances by HPLC - Impurity A - Impurity E - Impurity F - Impurity G - Schiff's base - Single unknown impurity - Total impurities	Below detection limit (0.01%) Below detection limit (0.01%) Below detection limit (0.01%) Below detection limit (0.01%) Below detection limit (0.03%) Below quantitation limit Not found	Not more than 0.10% Not more than 0.10% Not more than 0.10% Not more than 0.10% Not more than 0.10% Not more than 0.10% Not more than 0.2%
7	Assay by Potentiometry (dry basis)	100.5%	Not less than 99.0% and Not more than 101.0%w/w
8	Additional tests a) Residual solvents - Isopropyl alcohol b) X-Ray diffraction c) Particle size by Malvern Mastersizer - Less than 150 µm	Below detection limit ( 10 ppm) Meets the requirement 100%	Not more than 1000 ppm X-Ray diffraction pattern of sample should be concordant with that of reference / working standard. Not less than 90%

**Remark:** The product complies with above mentioned specification+ Customer's specification (CSO#CSO/481-R<sub>1</sub>/12).


**Storage condition:** Store in airtight containers below 25°C.

**Note:** The values given in the parenthesis are for limit of detection and limit of quantitation of respective purity and residual solvents.

PREPARED BY : <i>[Signature]</i> Date : 09/05/13	CHECKED BY : <i>[Signature]</i> Date : 09/05/13	APPROVED BY : <i>[Signature]</i> Date : 09/05/13
---	--	---

A Jubilant Bhartia Company

OUR VALUES



Jubilant Life Sciences Limited

# Plot No. 18, 56, 57 & 58,  
KIADB Industrial Area, Nanjangud-571 302,  
Mysore, Karnataka, India  
Tel: +91 8221 228402-8  
Fax: +91 8221 228410/11  
www.jubl.com

Corporate Office:

1-A, Sector 16-A,  
Noida-201 301, UP, India  
Tel: +91 120 2516601-11  
Fax: +91 120 2516628-30

Regd Office:

Bhartiagram, Gajraula  
Distt. Jyotiba Phoolay  
Nagar-244 223, UP, India