

CERTIFICATE OF ANALYSIS

CENTIFICATE OF ANALTSIS			
PRODUCT : DILTIAZEM HCI		COMPENDIA	: Ph.Eur7.7
(MICRONISED) BATCH NO.: DIL/M-07314		QUANTITY	. 500 1/~
			: 500 Kg
MFG. DATE: MARCH.2014		EXP. DATE	: FEBRUARY.2019
QC A.R. No.: FP/088/2014			
TESTS		RESULTS	SPECIFICATIONS
01. CHARACTERS			
i. Appearance	A white, crystalline powder.		White or almost white, crystalline powder.
ii. Solubility	Freely soluble in water, in methanol and in methylene chloride, slightly soluble in		Freely soluble in water, in methanol and in methylene
		slightly soluble in us ethanol.	chloride, slightly soluble in anhydrous ethanol.
iii. Melting point	Melted at 213°C with decomposition.		Melts at about 213° C with decomposition.
02. IDENTIFICATION	decompo	osition.	decomposition.
IR Absorption	Concordant with working standard		IR Absorption spectrum of the sample is concordant with that of the Diltiazem hydrochloride CRS /
			working standard.
CHLORIDES	Positive		It gives reaction to chlorides.
03. APPEARANCE OF SOLUTION	Clear and colorless		Clear and colourless.
04. pH	4.9		4.3 to 5.3
05. SPECIFIC OPTICAL ROTATION 06. RELATED SUBSTANCES	+116°		+ 115° to + 120°
i. Impurity F	Not Quai	ntified	Not more than 0.3% w/w
ii. Unspecified Impurities	Not Quantified		Not more than 0.10% w/w each
iii.Total Impurities	Not Quai		Not more than 0.30% w/w
07. HEAVY METALS	Less than 10 ppm		Not more than 10 ppm
08. LOSS ON DRYING	0.09%		Not more than 0.50% w/w
09. SULPHATED ASH	0.03%		Not more than 0.10% w/w
10. ASSAY (By Titration)	100.19%		Not less than 98.50% w/w and
(On dried basis)			Not more than 101.00% w/w
ADDITIONAL TEST:			
PARTICLE SIZE			
100%	30 Micro		100% Less than 100 Microns
Surface Area	1.71 m ² /gm		For Information
RESIDUAL SOLVENTS (BY GC-HS)			
Toluene	283 ppm		Not more than 750 ppm
Methanol	147 ppm		Not more than 500 ppm
Isopropyl Alcohol	10 ppm		Not more than 1000 ppm
Ethyl Acetate Bulk Density	0 ppm 0.29 g/ml		Not more than 2500 ppm For Information
Tapped Density	0.29 g/m 0.52 g/m		For Information
PEMAPKS: The product conforms to Ph Fur. 7.7.8 Customor's Specifications			

REMARKS: The product conforms to Ph.Eur.-7.7 & Customer's Specifications

Prepared by Executive-QC

Checked by Manager-QC

Approved by General Manager-QC

Piramal Enterprises Limited

Factory: Digwal Village Kohir Mandal Medak Dist 502321 Andhra Pradesh India

T +91 8451 287508 F +91 8451 287553

Admin. Off: 5-9-30 Road # 4 Basheerbagh Palace Colony Basheerbagh Hyderabad 500 063 India T +91 40 2322 6719 F +91 40 2326 6041 / 82

Registered Office: Piramal Tower Peninsula Corporate Park Ganpatrao Kadam Marg Lower Parel Mumbai 400 013 T +91 22 3046 6666 F +91 22 2493 6708

W www.piramalhealthcare.com