## MOEHS CATALANA, S.L.

Polígono Rubí Sur César Martinell i Brunet, 12 A 08191 RUBÍ (BARCELONA) Tel. (34) 93 586 05 20\* - (34) 93 699 60 54\* Fax (34) 93 699 83 50



<u>Code:</u> 15782

## **CERTIFICATE OF ANALYSIS**

Product: SOTALOL HYDROCHLORIDE Ph. Eur. 7

Batch Nr: 394-MC Manufacture: 11/2013 Re-test Date: 11/2018

<u>Client</u>: METAPHARMACEUTICAL SL

de: 9040414

Shipment (I	Kg):	2.00	Packs:	1

TESTS	SPECIFICATIONS	RESULTS
CHARACTERS APPEARANCE	Powder	Gara Farman
ALLEMANCE	White or almost white	Conforms
SOLUBILITY	white of almost white	
.In Water	Freely soluble	Conforms
.In Alcohol	Soluble	Conforms
.In Dichlorometane	Pract. insoluble	Conforms
IDENTIFICATION	Flact. Insoluble	Conforms
.IR spectrum	Conforms to St	Conforms
.Chloride reaction	Positive	Conforms
TESTS	1001010	Conforms
Clarity of solution S	Maximum ref susp III	Conforms
Colour of solution S	Maximum Y-6	Conforms
pH (5% solution)	4.0 to 5.0	4.43
Optical rotation (5% sol)	Between +0.10° and -0.10°	0.00 °
Related substances (HPLC)		
.Impurity B (Ph.Eur.)	Maximum 0.1 p.cent	< 0.05 p.cent
.Biggest other impurity (A,C,D	Maximum 0.3 p.cent	< 0.05 p.cent
.Other impurities>0.1% (A,C,D)	Maximum 1	0
.Biggest unknown impurity	Maximum 0.10 p.cent	< 0.05 p.cent
.Total impurities (excluding B	Maximum 0.5 p.cent	< 0.05 p.cent
Palladium	Maximum 0.5 ppm	< 0.5 ppm
Heavy metals	Maximum 20 ppm (0.002%)	< 20 ppm
Loss on drying	Maximum 0.5 p.cent	0.01 p.cent
Sulfated ash	Maximum 0.1 p.cent	< 0.01 p.cent
ASSAY		-
.Potentiom. (on dried subs.)	99.0 to 101.0 p.cent	99.5 p.cent
ADDITIONAL TESTS		
Residual solvents (GC)	Complies Ph.Eur. 5.4	Conforms
.Methanol	Maximum 300 ppm (0.03%)	< 50 ppm

We hereby certify that the above information is authentic and accurate. This batch has been manufactured, including packaging and quality control, in the above mentioned site, in full compliance with the GMP requirements. The batch processing, packaging and analysis records were reviewed and found to be in compliance with ICH Q7A.

> Released by QA on 05/12/2013 CoA issued on 22/04/2014 Signed by Quality Control

Pag.: 1/1