







AMRI India Pvt. Ltd. G-1/1, 1/2, MIDC Area, Waluj, Aurangabad - 431 136, India.  
t + 91-240-2554006 / 2564456, www.amriglobal.com

**QUALITY CONTROL DEPARTMENT**  
**CERTIFICATE OF ANALYSIS**

<b>Type:</b> Dispatch	<b>Page:</b> 1 of 2
<b>Product Name:</b> ATENOLOL	<b>Batch Number:</b> AM20114022
<b>Compendia:</b> EP	<b>Quantity:</b> 250 Kg.
<b>Mfg. Date:</b> APR -2014	<b>Retest Date:</b> MAR-2019
<b>Date of Sampling:</b> 25/04/2014	<b>Date of Analysis:</b> 25/04/2014
<b>Date of Release:</b> 30/04/2014	<b>A.R Number:</b> FPA/14/027

**Storage Condition :-** Preserve in well-closed, light resistant container. Store at 25°C, excursions permitted between 15°C to 30°C

S.No.	Test	Results	Specification
1.	Appearance	Almost white powder	A white or almost white powder
2.	Solubility	Complies	Soluble in anhydrous ethanol, sparingly soluble in water, slightly soluble in methylene chloride.
3.	Identification A) By Melting Point	153.6°C	First Identification C Second Identification A, B, D. 152°C to 155°C
	B) By UV	1.16	1.15 to 1.20
	C) By IR	Complies	Should be comparable with Atenolol working standard.
	D) By TLC	Complies	Should be comparable with Atenolol working standard.
4.	Appearance of solution	1.0% w/v solution in water is clear & transparent	1.0%w/v solution in water should be clear & not more intensely colored than degree 6 of the range of reference solutions of the most appropriate color.
5.	Optical Rotations	0°	+0.10° to - 0.10°
6.	Chloride	Less than 0.1%	NMT 0.1%

Prepared By /Date	Checked By / Date	Reviewed By / Date	Approved By / Date
 30/04/2014	 30/04/2014	 30/04/14	 30/04/2014
Quality Control	Quality Control	Quality Assurance	Quality Assurance





AMRI India Pvt. Ltd. G-1/1, 1/2, MIDC Area, Waluj, Aurangabad - 431 136, India.  
t + 91-240-2554006 / 2564456, www.amriglobal.com

**QUALITY CONTROL DEPARTMENT**

**CERTIFICATE OF ANALYSIS**





<b>Type:</b> Dispatch	<b>Page:</b> 2 of 2
<b>Product Name:</b> ATENOLOL	<b>Batch Number:</b> AM20114022
<b>Compendia:</b> EP	<b>Quantity:</b> 250 Kg.
<b>Mfg. Date:</b> APR -2014	<b>Retest Date:</b> MAR-2019
<b>Date of Sampling:</b> 25/04/2014	<b>Date of Analysis:</b> 25/04/2014
<b>Date of Release:</b> 30/04/2014	<b>A.R Number:</b> FPA/14/027

S.No.	Test	Results	Specification
7.	Related Substances By HPLC Impurity B Impurity F Impurity G Impurity I Unspecified Impurity Total Impurities	0.16% BDRL 0.07% 0.10% 0.05% 0.43 %	NMT 0.20% NMT 0.15% NMT 0.15% NMT 0.15% NMT 0.10% NMT 0.5%
8.	Sulphated Ash	0.04%	NMT 0.1%
9.	Loss on drying	0.25%	NMT 0.5% w/w
10.	Assay (ODB) by Potentiometer	100.01%	99.0% to 101.0% w/w
11.	Foreign Particle	No black Particles observed on filter paper	NMT 5 black particles observed on filter paper
12.	*Additional Tests		
12.1	Bulk Density 1) Untapped 2) Tapped (50 strokes)	0.20 gm/mL 0.30 gm/mL	Informative
12.2	Particle Size	100% sample passes through 40 mesh	100% passing through 40 mesh.

\*Additional test determined as per in-house requirement.

- **BDRL** – Below Disregard Limit (Disregard Limit is 0.05% as per EP 7.0)
- **Remarks:-** The product Complies as per EP specification

We certify that the material manufactured in our factory, address- AMRI India Pvt. Ltd. G-1/1, MIDC, Aurangabad is as per process described in the certificate of suitability. We also certify that the quality of the material complies according to the certificate of suitability (No: R1-CEP 1999-122-Rev 04) of the monographs of the European Pharmacopoeia.

Prepared By /Date	Checked By / Date	Reviewed By / Date	Approved By / Date
 30/04/2014	 30/04/2014	 30/04/14	 30/04/2014
Quality Control	Quality Control	Quality Assurance	Quality Assurance