

2556

QIANJIANG YONGAN PHARMACEUTICAL CO., LTD

CERTIFICATE OF ANALYSIS

Name of product: TAURIN JP15	XP13073277- XP13073282 3000KGS PER BATCH WITHOUT ANTICAKING.
Batch size: 3000kgs	Packing in 25kg/carton
	Manufacturer date: 2013-7-14
	Expiry date: 2016-7-13
	Reported date: 2013-7-19
	Order No.: P1301265/001

BATCH NO.	STANDARD	TESTING DATA			
		XP13073277	XP13073278	XP13073279	XP13073280
Characteristics:	A white crystalline powder.	XP13073277	XP13073278	XP13073279	XP13073280
1. Identification:	Positive	Positive	Positive	Positive	Positive
2. Clarity and color of solution:	Clear and colorless	Pass test	Pass test	Pass test	Pass test
3. Chloride:	0.011% max	<0.010%	<0.010%	<0.010%	<0.010%
4. Sulphate:	0.014% max	<0.010%	<0.010%	<0.010%	<0.010%
5. Ammonium:	0.02% max	<0.02%	<0.02%	<0.02%	<0.02%
6. Heavy metals:	20ppm max	<8ppm	<8ppm	<8ppm	<8ppm
7. Arsenic	2ppm max	<1ppm	<1ppm	<1ppm	<1ppm
8. Easily carbonizable substances:	No color develops	Colourless	Colourless	Colourless	Colourless
9. Loss on drying:	0.2%(105°C, 2 hours) max	0.05%	0.09%	0.07%	0.07%
10. Residue on ignition:	0.1% max	0.04%	0.04%	0.05%	0.04%
11. Assay (anhydrous):	98.5% min	99.1%	99.4%	99.4%	99.3%
12. Total plate count:	NMT 1000/g	50/g	65/g	60/g	55/g
13. Mold:	NMT 100/g	<10/g	<10/g	<10/g	<10/g
14. Yeast:	NMT 100/g	<10/g	<10/g	<10/g	<10/g
15. Coliforms:	Negative	Not found	Not found	Not found	Not found
16. Salmonella:	Negative	Not found	Not found	Not found	Not found

CONCLUSION: COMPLY WITH JP15

AUTHORIZOR:

CHECKER:

TESTER: