## **Antibiotice**

FAGRON IBÉRICA, S.A.U Corresponde al lote de Fagron:

13125-802





GERTIFICATE OF ANALYSIS No. 5309

	CERTIFICATE OF ANALYSIS No. 5309	
Product	NYSTATIN	
Analysis Record: 11.06.2013	Batch No. 401 6521	Quantity: 83000
We S.C. ANTIBIOTICE S.A., as a manufacturer of Nystatin h the Certificate of GMP Compliance of Manufacturer No. 035/ This batch has been manufactured, packaged and tested in a	ereby certify that this batch has been produced by us in full compliance with 2010/RO issued by NAMMD, valid starting with 04.06.2010. ccordance with EU GMP Guideline volume 4 part II (ICHQ7).	Mfg. Date 06.2013 Exp. Date 06.2016
ANALYSES PERFORMED	CONDITIONS	RESULTS
Appearance	Yellow or slightly brownish powder, hygroscopic. Yellow to light tan powder, having an odor suggestive of cereals. Is hygroscopic, and is affected by long exposure to light, heat, and air.	yellow powder, hygroscopic; having an odor suggestive of cereals
Solubility	Freely soluble in dimethylformamide and in dimethylsulfoxide; slightly to sparingly soluble in methanol, in n-propyl alcohol, and in n-butyl alcohol; practically insoluble in water and in alcohol; insoluble in chloroform and in ether	corresponds
Identification  Identification A:	Absorption maxima at 230 nm, 291 nm, 305 nm and 319 nm, and a shoulder at 280 nm.	corresponds
A 230 / A 280 A 291 / A 305 A 319 / A 305	0.83 to 1.25 0.61 to 0.73 0.83 to 0.96	1.05 0.65 0.91
Identification, <i>Ultraviolet Absorption</i> : A 230 / A 279 (sh) Identification: B, C, D, E	0.90 to 1.25 In conformity with BP 2011 and Eur. Ph. 7 <sup>th</sup> Edition	1.08 corresponds
Absorbance at 305 nm	Not less than 0.60	0.778
Loss on drying: - USP 35		1,50
- BP 2011, Eur. Ph. 7 <sup>th</sup> Edition	Not more than 5.0 %	3.22
Heavy metals	Not more than 20 ppm	< 20
Sulphated ash Assay: - USP 35	Not more than 3.5 %  Not less than 4400 USP Nystatin Units/mg, or, where intended for use in the extemporaneous preparation of oral suspensions,	1.10
- BP 2011 / Eur. Ph. 7 <sup>th</sup> Edition	not less than 5000 USP Nystatin Units/mg Minimum 4400 IU/ mg (dried substance) and minimum	6100
	5000 IU/mg (dried substance) if intended for oral administration	6303
Abnormal toxicity	In conformity with BP 2011 and Eur. Ph. 7 <sup>th</sup> Edition (2.6.9.)	corresponds
Suspendibility	Not less than 90.0 %	96.00
Crystallinity	It reveals birefringence	corresponds 7,70
pH (3.0 % aqueous suspension)  Composition:	Between 6.0 and 8.0	7.70
USP 35: - Nystatin A1	Not less than 85.0 %	88.63
- Any other individual component	Not more than 4.0 %	1.31
BP 2011/Eur. Ph. 7 <sup>th</sup> Edition:	THE MISTER CHAINS TO	
- Nystatin A1	Minimum 85,0 %	88.77
- Any other compound	Maximum 4.0 %	1.31
Microbiological quality		
- TAMC, CFU/g	Not more than 10 <sup>3</sup>	40 < 1
- TYMC, CFU /g	Not more than 10 <sup>2</sup>	,
Specified micro-organisms: - Bile-tolerant gram-negative bacteria/g	Absent	absent
- Escherichia coli/g	Absent	absent
- Salmonella/g	Absent	absent
- Pseudomonas aeruginosa/g	Absent	absent
- Staphylococcus aureus/g	Absent	absent
Residual solvents: - Methanol	Not more than 0.3 %	0.06
- Acetone	Not more than 0.5 %	0.29
Particle size,	Net loss than 00 0 %	99.91
≤ 45μm	Not less than 99.0 %	79.91

20,06,2013

STORAGE: Store in an airtight container, protected from light, at a temperature of 2°C to 8°C. Complies with the specification of the BP 2011, Eur. Ph. 7<sup>th</sup> Edition and USP 35.

Quality Direction Cellead of Quality Control Department Physico-Chemical Analyses Eng. Lavinja Dimitriu 10 Sp. Pharm. Irinel Miftode

**Head of Quality Control Department** Microbiological and Pharmacodynamical Analyses Biol. Marcela Strungariu

11.09. 2013

P +40 232 209 000 P +40 372 065 000 F +40 232 209 633

-11:08.2013

E office@antibiotice.ro www.antibiotice.ro

> Pharma Greven GmbH Airportcenter 2 / Eingang Ost Hüttruper Heide 90 D-48268 Greven