

QUALITY CONTROL DEPARTMENT
CITALOPRAM HYDROBROMIDE – Ph. Eur.
CERTIFICATE OF ANALYSIS

Commercial batch # : CTH/1410192	Dispatch Qty. : 40.00 Kg
In-house Batch # : 5CTH9/14011	Batch Qty. : 160.50 Kg
Mfg. Date : October-2014	Exp. date : September- 2019
Specification # : QCD/SP/FP/CTH/004-R ₄	Method # : QCD/MH/FP/CTH/004-R ₃

Sl. #.	TESTS	OBSERVATIONS	STANDARD LIMIT
1	Characters - Appearance - Solubility	Almost white powder Meets the requirement	White or almost white crystalline powder Sparingly soluble in water and in anhydrous ethanol.
2	Identification - Optical rotation - IR absorption spectrophotometry - Test for Bromide	Meets the requirement Meets the requirement Meets the requirement	Should be positive. The IR absorption spectrum of sample should be concordant with that of working standard Should be positive
3	Loss on drying at 105°C for 4 hrs	0.15%	Not more than 0.5%
4	Optical rotation (5% solution in methanol at 20°C)	0.02°	Between -0.10° and + 0.10°
5	Sulphated ash	0.03%	Not more than 0.1%
6	Heavy metals	Less than 20 ppm	Not more than 20ppm
7	Related substances by HPLC Impurities at 230 nm - Impurity - B - Impurity - D - Maximum unspecified impurity - Sum of the impurities (Other than impurity-G) Impurities at 254 nm - Impurity -G	Not detected Below disregard limit (0.05%) Below disregard limit (0.05%) Below disregard limit (0.05%) Below detection limit (0.0040%)	Not more than 0.15% Not more than 0.2% Not more than 0.10% Not more than 0.5% Not more than 0.15%
8	Assay by Potentiometry (on dried basis)	100.1%	99.0% - 101.5%
9	a) Additional tests Residual solvents - Methanol - Isopropyl Alcohol - Toluene	48 ppm 163 ppm Below quantification limit (10 ppm)	Not more than 500 ppm Not more than 500 ppm Not more than 100 ppm

Remark : The product complies with above specification +Customer's specification(CSO/506-R₁/12)

Storage condition: Store in airtight containers below 25°C

Note: The values given in the parenthesis limit of detection and disregard of HPLC and respective residual solvents

PREPARED BY : <i>P. S. S. S.</i>	CHECKED BY : <i>P. S. S. S.</i>	APPROVED BY : <i>P. S. S. S.</i>
Date : <i>10/10/14</i>	Date : <i>10/10/14</i>	Date : <i>10/10/14</i>

A Jubilant Pharma Company

OUR VALUES



Jubilant Generics Limited

(Formerly Jubilant Life Sciences Division)

Plot No. 18, 56, 57, 58,

KIADB Industrial Area Nanjangud-571 302,

Mysore, Karnataka, India

Tel: +91 8221 228402-8

Fax: +91 8221 228410/11

www.jubilantpharma.com

Corporate Office:

1-A, Sector 16-A,

Noida-201 301, UP, India

Tel: +91 120 4361000

Fax: +91 120 4234895,4234896

Regd. Office:

1-A, Sector 16-A,

Noida-201 301, UP, India

CIN : U24100UP2013FLC060821