

Dynamit Nobel GmbH Explosivstoff- und Systemtechnik
Kalkstrasse 218 D-51377 Leverkusen Germany
+49(0)214 357-0 www.novasep.com



Analysen-Zertifikat Certificate of Analysis

PRODUCT : GTN/Lactose (2/98)
CUSTOMER : Fagron Iberica S.A.U.
Jaén s/n, 08226 Terrassa
Barcelona
Spanien
QUANTITY : 50 kg net

DN-Order-No. : 5778 / 2014-07-21
Purchase-Order-No. : OC-14/01986 / 2014-07-21
DN-Customer-No. : 10533
DN-Lot-No. : 014FIS0001
Manufacturing date : 2014-09-08
Retest date : 2015-09

	<u>Specification</u>	<u>Results</u>
Assay-GTN (HPLC)	1.90 - 2.10 w/w%	2.07 w/w%
Σ -Dinitroglycerin (Σ -GDN) (HPLC)	≤ 2.0 area%	0.07 area%
Σ -Mononitroglycerin (Σ -GMN) (HPLC)	≤ 2.0 area%	< 0.05 area%
Σ related substances (HPLC)	≤ 3 area%	0.07 area%

Leverkusen, 2014-09-17

QUALITY CONTROL

A handwritten signature in black ink, appearing to read 'V. Hübner', written over a horizontal line.
signed Hübner

The aforementioned data shall constitute the agreed contractual quality of the product at the time of passing risk. These data do not imply any legally binding guarantee of certain properties or of fitness for a specific purpose. No liability of ours can be derived therefrom. The forwarded data do not release the addressee from carrying out an incoming goods inspection.