

PRIME EUROPEAN THERAPEUTICALS SpA - Sole Shareholder
Registred Office Artificial Professional State of Advanced Office Artificial Professional State of Advanced Office Artificial Professional State of Advanced Office Of

CERTIFICATE OF ANALYSIS

	MANUFACTURING SI	TE: EUTICALS SoA -	Via Volturno 41/43 -	- 20089 Rozzano ili	(I)	
Batch no.:	IE1400162A				30124	
Manufacturing date;	February 2014	Analysis date:	March 2014	Re-test date:	February 2019	
TEST		SPECIFICATIONS			ANALYSIS VALUE	
Characters:						
- Appearance	White to	White to almost-white powder.			complies	
- Solubility	Soluble	Soluble in other, acctone, methanol; slightly soluble in n-hexane;			complies	
	practical	practically insoluble in water				
Identification:						
- HPLC		the RT of the main peak of the product under analysis must be concordant with that of the standard			complies	
- IR spectrum	comply	comply with the standard material			complies	
Loss on Drying (TGA):	: not more	not more than 1.0 %			not detectable	
Sulfated ash	not more	not more than 0.1 %			0.0 %	
Specific optical rotation		- 140 to -160° (on anhydrous and solvent free basis, 10 mg/mL in methanol)			- 149°	
Heavy metals	not more	not more than 20 ppm			less than 20 ppm	
Water (K.F.)	not more	not more than 0.5 %			0.2 %	
Sirolimus isomer (rrt 1.	(I) report the	report the found value			2.5 %	
Assay (HPLC)	(on anhy isomer)	between 96.5 % and 102.0 % (on anhydrous basis, expressed as sum of Sirolimus and Sirolimus isomer)			100.4 %	
Related substances (HF - 27-O-demethyl-rapam		1 0 5 5 6				
16-O-demethyl-rapam		not more than 0.5 %			0.2 %	
- Prolylrapamycin		not more than 0.5 %			0.1 %	
- 27-demethoxyrapamy	District Comments of	not more than 0.5 %				
					not detectable	
- 40-oxorapamycin		not more than 0.2 %			0.1 %	
- 11-ethyl- & 23-ethy-ra - Any other		not more than 0.5 %			0.2 %	
Any other Total (specified-tunspe		not more than 0.2 % each			0.1 %	
Residual solvents:	not more	tnan 1.5 %			0.8 %	
- Acetone	not man	not more than 500 ppm			2	
- Ethyl ether					3 ppm	
TAMC		not more than 500 ppm			not detectable	
TYMC	1	not more than 100 ufc/g			< 10 ufc/g	
1 1 IVIC	not more	not more than 10 ufc/g			< 10 ufc/g	

Milan - December 2, 2015

Q.C. Manager

Malelo 2 DR.SSA MICHELARAMI

Qualified Person

This is to certify that the batch was manufactured according to c-GMP

Production Units - Lodi Area Viale Milano, S6 26930 Lodi (LO) HALY Ph. +39 037 I 4902 1 Fax +39 037 I 610019

Via delle Rimembranze, 1 26952 Casaletto Lodgrano (LO) (IALY Ph. +59 0371 7397 1 Fan +39 0371 71793

Production Units - Milleno Area Via Volturno, 41/43 20089 Rozzano (MI) ITALY Ph. +39 02 82272 1 Fax +39 02 8245183

Via Monte Rosa, 114/116 20089 Ressano (Mi) (TALY Ph. +39 02 322835 1 Fax +39 02 3250573

Production Units - Varese Area Via Valverde, 20/22 21100 Varese (VA) ITALY Fh. +39/1832 2299 1 Fax +39/0332 212575

Viale Europe, 5 21040 Origgio (VA) ITALY Ph. +39 02 969531 Fax +39 02 96730456