FAGRON IBÉRICA, S.A.U Corresponde al lote de Fagron: 15B18-401-003

## **REFORM** Italia srl

Prantanano Is ital NDIM (Boy mor Tel. - 39-035 - 32 69 39 Lax - 39-035-82 32 133

AZIENDA CON SISTEMA DI GESTIONE QIALITÀ
UNI EN ISO
9001:2008
CERTIFICATO DA
CERTIQUALITY

ORGANIZATION WITH QUALITY MANAGEMENT SYSTEM UNIEN ISO 9001:2008 CERTIFIED BY

Director Técnico



e-mail: reformitaliasrl@gmail.com web site: http://digilander.libero.it/reform Laboratorio Controllo Qualità QC Lab. Manager Dr. Stefano Patroni

Certificate of Analysis 869 Batch 414/01/14

Cantharidin-

2,3-Dimethyl-7-Oxabicyclo (2,2,1)heptane-2,3 dicarboxylic anhydride

20 November 2014 Manufacturing date: 18 November 2014

Formula: C<sub>10</sub>H<sub>12</sub>O<sub>4</sub>

MW: 196.21

(Mylabris Extract, purified, Cantharidi	n BPC)	W		
Specification	Method	Should		İs
Appearance:	Internal	Colourless glistening orthorhombic plates		Complies
Performed on Silica Gel plates (Fluka) in comparison with standard. Eluent: acetone anhydrous (100%) Detection: lodine saturated chamber for 30 minutes.	Internal	1 single spot; the product is chromatographically pure.		Complies
GLC: Column: Agilent DB-5MS 15mt Flow: Helium 2 mL/min Injector: 250°C Detector: FID 300°C Temperature: 2 minutes at 60°C to 250°C (20°C/min) for 5 minutes 5 µL of a 0,5 mg/mL solution in acetone	Internal	> 98,0 %		99,78%
Melting point:	Internal	216-218°C (BPC)		216°C
Solubility:	Internal	Very slightly soluble in water, soluble in acetone (1 gram / 40mL) and chloroform (1 gram in 55mL)		Complies
Residue on ignition:	Internal	<0,1% (BPC)		0,04%

Cantharidin batch 414/01/14 conforms to the British Pharm. Codex 1949

Shelf life: If properly stored in closed containers in the dark at temperature not exceeding 30°C, the Substance is stable at least 5 years.

Expiry date: 17 November 2019 Operator: Dr. Paolo Federici

The manufacturer guarantees identity and purity of this substance, as reported in the certificate of analysis: the substance itself is intended for research purposes only, not for food, drug, household or any other use, and it can be supplied for export only under the condition that the authorities of the country of destination allow its import into that country. The manufacturer, having no control on its further employ, cannot be regarded as responsible for its further use after import.