

NEWCHEM

CERTIFICATE OF ANALYSIS TRIAMCINOLONE ACETONIDE MICRONIZED

Batch: **NX0389M**

Manuf. date: **02/2017**

Expiration date: **02/2022**

Tests	Specifications	Results
GENERAL TESTS		
Appearance	White or almost white crystalline powder	Complies
Solubility	Complies	Complies
Identification IR	Positive	Positive
Identification UV	Positive	Positive
Identification HPLC (EP)	Positive	Positive
Water content (EP)	NMT 2.0%	1.25 %
Loss on drying (USP)	NMT 1.5%	0.75 %
Specific optical rotation (EP)	+110° - +117° (anhydrous substance)	+114 °
Specific rotation (USP)	+118° - +130° o.d.b.	+127 °
Heavy metals (USP)	NMT 25 ppm	Complies
ASSAY		
Assay HPLC (EP)	97.5% - 102.0% (anhydrous substance)	99.40 %
IMPURITIES		
Impurity B	NMT 0.2 %	0.06 %
Impurity C	NMT 0.15%	N.Q.
Impurity E	NMT 0.15%	N.Q.
Each other single impurity	NMT 0.10 %	N.Q.
Total impurities	NMT 0.5 %	0.06 %
Any individual impurity (USP)	NMT 0.3%	0.07 %
Total impurities (USP)	NMT 0.8%	0.26 %
RESIDUAL SOLVENTS		
Acetone	NMT 1000 ppm	138 ppm
Methanol	NMT 900 ppm	176 ppm
Dichloromethane	NMT 400 ppm	N.D.

Complies with cEP and cUSP

Verona 10/03/2017

NEWCHEM spa www.newchemspa.com

Page 1 of 2

Approved by QA Manager

Sede legale/registered at: via E. De Amicis 47 20123 Milano - Italy Tel. +39 02 581516 Fax +39 02 58151627 E-mail: info@newchemspa.it

Capitale sociale Euro 1.000.000 i.v. R.E.A. MI n. 1559575 iscrizione registro imprese MI, codice fiscale e partita IVA/it n. 12437910156

Stabilimenti/factories:

Via Roveggia 47 - 37136 Verona - Italy Tel. +39 045 504922 Fax +39 045 8201568 E-mail: info@newchemspa.it,

Via Parco del Ticino 10 - 27028 San Martino Siccomario Pavia - Italy Tel. +39 0382 521027 Fax +39 0382 490570 Email: info@newchemspa.it

NEWCHEM

CERTIFICATE OF ANALYSIS TRIAMCINOLONE ACETONIDE MICRONIZED

Batch: **NX0389M**

Manuf. date: **02/2017**

Expiration date: **02/2022**

Tests	Specifications	Results
PARTICLE SIZE		
Particle size	NLT 70% < 5µm	82,20 %
Particle size	NLT 99 % < 10 µm	100 %

Complies with cEP and cUSP

Verona, 10/03/2017
NEWCHEM spa www.newchemspa.com

Page 2 of 2

Approved  by QA Manager

Sede legale/registered at: via E. De Amicis 47 - 20123 Milano - Italy Tel. +39 02 581516 Fax +39 02 58151627 E-mail: info@newchemspa.it
Capitale sociale Euro 1.000.000 i.v. R.E.A. MI n. 1559575 iscrizione registro imprese MI, codice fiscale e partita IVA/vat it n. 12437910156
Stabilimenti/factories:
Via Roveggia 47 - 37136 Verona - Italy Tel. +39 045 504922 Fax +39 045 8201568 E-mail: info@newchemspa.it,
Via Parco del Ticino 10 - 27028 San Martino Siccomario Pavia - Italy Tel. +39 0382 521027 Fax +39 0382 490570 Email: info@newchemspa.it



IMS
Micronizzazioni

IMS s.r.l.
Via Venezia Giulia 23
20157 Milano
Tel 0239002128
Fax 0239002132
Cap. Soc. €99,000i.v.

C.F. e P.IVA n.00923920151
Aut.Mln.Sanità
Reg.Impr.n.151751 Trib.MI
R.E.A. 852403
e-mail: info@imsmicron.it

CERTIFICATO DI ANALISI

Prodotto TRIAMCINOLONE ACETONIDE
Cliente NEWCHEM S.P.A.
N° lotto NX0389
Codice TAM0002N

Quantità Kg 61,000
Lavorazione IMS N° 17S0021

Codice IMS 420103.01
Versione Specifica 5


N° Bollettino di analisi 11700183
N° Analisi AV170021SF
Metodo di analisi SOP-06-L-178-02
Strumento LS13320 MLM


Analisi	Risultato	Specifica	U.M.
Identificazione NIR	Positiva	Positiva	--
%<10µm	99,98	>= 99,00	%
%<5µm	82,20	>= 70,00	%


Note:

CONCLUSIONI: PRODOTTO CONFORME A SPECIFICHE


Responsabile Controllo Qualità


QA Manager


Data



Data

I dati sopra riportati sono stati ottenuti usando il metodo indicato e sono soggetti a possibili variazioni legate a metodo e condizioni analitiche

MOD-01-L-012-1D Approvato da: Q.A. Manager S.Pagnoncelli

Autorizzato da: Q.P. R.Brusa

In vigore da 01.09.09





I.M.S. Micronizzazioni srl

File name: C:\LS13320\samples\CERT_17\Newchem\Triamcinolone Acetonide\AV170021SF_ca.\$av
File ID: AV170021SF
Sample ID: TRIAMCINOLONE ACETONIDE SOP-06-L-178-02
Operator: Silvia Mele
Comment: Prodotto finito
Sample info: Lotto NX0389 per Newchem in lavorazione 17S0021
Compliance: CONFORME NON CONFORME N.A.
Optical model: Fraunhofer.r780d
LS 13 320 Micro Liquid Module

Run length: 30 seconds

Stirrer speed (Off)


Fluid: Water

Average of 3 files:

C:\LS13320\samples\Newchem\Triamcinolone Acetonide\17002108SF_01.\$ls

C:\LS13320\samples\Newchem\Triamcinolone Acetonide\17002109SF_01.\$ls

C:\LS13320\samples\Newchem\Triamcinolone Acetonide\17002110SF_01.\$ls



Volume Statistics (Arithmetic)

AV170021SF_ca.\$av

Calculations from 0.375 µm to 2000 µm

Volume: 100%
Mean: 3.042 µm
Median: 2.478 µm
Mode: 2.539 µm

d₁₀: 0.952 µmd₅₀: 2.478 µmd₉₀: 6.194 µm

f103144

06/03/17 fch-0317



I.M.S. Micronizzazioni srl

Particle Diameter μm	AV170021SF _ca.\$av Volume % <
5	82.2
8	97.8
10	99.98
15	100
20	100
45	100
50	100
60	100
100	100
200	100

09/07/14

09/07/14