Hetero Drugs Limited

S.No.s, 213, 214 & 255, Bonthapally Village, Jinnaram Mandal, Medak District, Telangana state, NDI Phone: + 091-8458-275314/275777,Fax:+91-8458-275271

CERTIFICATE OF ANALYSIS

Specifications

Product Batch No

S.No.

: Nebivolol Hydrochloride

: NB17050079

Date of Manufacture : May - 2017

Analytical Report No.: NB0091/17

Test

Reference STP No.

: NB-011-04, NB-005-03

Reference

: In-House

Batch Quantity

Results

: 26.45 Kg

Date of Analysis

: 24/05/2017

Retest Date

: April - 2022

: Initial certification

Reference

Status

. 1	Description A white to off white crystalline powder		A white crystalline powder	Visual inspection	
2	Solubility	Sparingly soluble in dimethylformamide, slightly soluble in Methanol, Very slightly soluble in water and practically insoluble in 0.1M HCl.		Visual inspection	
	Identification by a) IR	The infra red absorption spectrum of the finely ground sample in KCl dispersion compressed into a disc should exhibits maxima only at the same wave numbers as that of asimilar preparation of Nebivolol Hydrochloride Working Standard.	Matches with the standard spectrum	Ph.Eur.<2.2.24>	
3	b) HPLC	The retention time of the principal peak obtained in Assay preparation-1 should matches with that of the standard preparation.	Matches with the standard	In-House	
	c) Chlorides test	Should meet the requirement for chloride.	Complies	Ph.Eur.<2.3.1>	
	d)XRD	The diffractogram of the test sample should match with that of Nebivolol HCl working standard.	Matches with the standard diffractogram	Ph.Eur.<2.9.33>	
4	Melting Range	Should be between 225.0°C and 235.0°C	225.4°C to 225.8°C	. Ph.Eur.<2,2.14>	
5	Chloride content (on dried basis)	Should be between 7.8 % w/w and 8.5 % w/w	8.0 % w/w	In-House	
6	Loss on drying Not more than 1.0 % w/w		0.29 % w/w	Ph.Eur.<2.2.32>	
7	Palladium content Not be more than 5 ppm		Below QL (QL=0.2 ppm)	In-House	
8	Sulfated ash Not more than 0.1 % w/w		0.07 % w/w	Ph.Eur.<2.4.14>	
9	Heavy Metals Not more than 0.002 % w/w		Less than 0.002 % w/w	Ph.Eur.<2.4.8> Method-C	
	Chromatographic purity byHPLC	[2S*[1R*, 5R* (S*)]]-α,α' – [iminobis(methylene)bis[6-fluoro-3,4-dihydro-2H-1-benzopyran-2-methanol] Related compound-A : Not more than 0.15 %	0.05% (QL=0.004%)		
10		Related compound-A + Related compound -B (from chiral purity by HPLC) : Not more than 0.15 %	0.05%	In-House	
		Maximum single unknown impurity : Not more than 0.10 %	0.04%		
		Total impurities : Not more than 0.50 %	0.08%		
· 11	Chiral purity by	[2S*[1R*, 5S* (S*)]]-α,α' – [iminobis(methylene)bis [6-fluoro-3,4-dihydro-2H-1-benzopyran-2-methanol] Related compound-B:: Not more than 0.15 %	Below QL (QL=0.02%)	,	
"	HPLC .	Nebivolol D-Isomer : Should be between 48.5 to 51.5 %	49.5%	In-House	
		Nebivolol L-Isomer : Should be between 48.5 to 51.5 %	50.5%	. ,	

Compiled by: K. Anula

Checked by:

Authorised signatory:

Date:

25/05/2017

Date:

25/05/12

Date:

25705/12

Effective date: 14/03/2016

QC-NB-COA-013-04

Page 1 of 2

Hetero Drugs Limited

S.No.s, 213, 214 & 255, Bonthapally Village, Jinnaram Mandal, Medak District, Telangana state INDIA. Phone: + 091-8458-275314/275777,Fax:+91-8458-275271

CERTIFICATE OF ANALYSIS

Product

: Nebivolol Hydrochloride

Batch No

: NB17050079

Date of Manufacture : May - 2017

Analytical Report No.: NB0091/17

Reference STP No.

: In-House

Reference

: 26.45 Kg

Batch Quantity Date of Analysis

: 24/05/2017

Retest Date

: April - 2022

: NB-011-04, NB-005-03

- 1					Status	: Initial certification
1	S.No.	Test	Specifications		Results	Reference
		Residual solvents by GC* (Method-I)	Methanol	: Not more than 1500 ppm	Below QL (QL=7ppm)	
			Ethanol	: Not more than 1000 ppm	Below QL (QL=13ppm)	*
			Di-isopropyl ether	: Not more than 50 ppm	Below QL (QL=8ppm)	
	12		Ethyl acetate	: Not more than 1000 ppm	Below QL (QL=23ppm)	In-House
			Toluene	: Not more than 400 ppm	Below QL (QL=15ppm)	
		Residual solvents by GC* (Method-II)	Acetic acid	: Not more than 5000 ppm	Below QL (QL=200ppm)	
	13	Assay by HPLC (on dried basis)	Should be between 98.5 % w/w and 101.5 % w/w		99.5 % w/w	In-House
	14 1	Monomethyl amine content by IC Should not be more than 100 ppm		36 ppm	In-House	
	15	FOB & B-spot content by HPLC		-3,4dihydro-2-oxiranyl-2H-1- uld be not more than 37 ppm	Below QL (QL=12ppm)	In-House
	13			-3,4dihydro-2-oxiranyl-2H-1- hould be not more than 37 ppm	Below QL (QL=12ppm)	
	16	Particle size analysis	d(0.90) should be less than 25μm		8.5 μm	. In-House

* No potential for the class-1 solvents as specified by ICH to be present in Nebivolol hydrochloride, as they are not used in the manufacturing process. The material if tested for these solvents, will comply with the established standards.

The product conforms to the above Specifications.

Compiled by: K. Aruba

Checked by:

Authorised signatory:

25/05/2017

Date:

Effective date: 14/03/2016

Page 2 of 2

QC-NB-COA-013-04