

**Scharlab S.L.**

Gato Pérez, 33. Pol. Ind. Mas d'en Cisa

08181 Sentmenat

☎ +34937456400

✉ helpdesk@scharlab.com

CERTIFICATE OF ANALYSIS

Product Acetonitrile, gradient 240nm/ far UV HPLC grade

Batch 19412903

AC0329

Quality release date 10/12/2018

Expiry date 12/2023

Analysis	Batch value	Specifications
Assay (G.C.)	99,98 %	≥ 99,9
Identity (IR-Spectrum)	passes test	passes test
Density (20°/4°)	0,7821 g/mL	0,779 - 0,783
Acidity	0,00013 meq/g	≤ 0,0002
Alkalinity	0,00003 meq/g	≤ 0,0001
Residue on evaporation	0,0001 %	≤ 0,0002
Water (K.F.)	0,0086 %	≤ 0,02
Gradient grade (240 nm)		
maximum background absorbance:	0,002 AU	≤ 0,01
maximum peak absorbance:	0,0002 AU	≤ 0,0015
UV Spectroscopy in a 1,0 cm cell:		
min. transmission at 200 nm	95,43 %	≥ 90
min. transmission at 205 nm	96,48 %	≥ 92
min. transmission at 210 nm	96,81 %	≥ 95
min. transmission at 220 nm	98,18 %	≥ 98
max. absorbance at 200 nm	0,020 AU	≤ 0,046
max. absorbance at 205 nm	0,016 AU	≤ 0,036
max. absorbance at 210 nm	0,014 AU	≤ 0,022
max. absorbance at 220 nm	0,008 AU	≤ 0,009

Microfiltered through membranes of pore diameter 0,22 µm.