

Sample Nr. 210097767 Manufacturing Date 05/03/2018 Retest Date 05/03/2023

Code 09MM Lot/Batch 0000271848 Description PHENELZINE SULFATE USP Product Class FERT CLASSE A

Tests	Results	Units	Specification
CHARACTERS			
APPEARANCE	Complies to specification	-	White to off-white crystalline powder
SOLUBILITY			
SOLUBILITY	Complies to specification	-	Complies to Note A
C-USP<197> - C-EP 2.2.24.			
IR IDENTIFICATION	Complies to specification	-	Complies with Ref.STD
IDENTIFICATION B 09 C-USP			
COLOUR TEST	Complies to specification	-	Complies with c-USP
C-USP<191> - C-EP 2.3.1. METHOD A (SUL)			
SULFATES IDENTIFICATION	Complies to specification	-	Complies to c-USP - c-EP
C-USP<741>			
MELTING RANGE	Complies to specification	-	Between 164°C and 168°C
MELTING POINT	167	°C	About 166°C
C-USP<791> - C-EP 2.2.3.			
pH	1.7	pH	Between 1.4 and 1.9
HPLC 09 C-USP			
Hydrazine	<0.01 (LOQ)	%	NMT 0.1%
TLC 09 C-USP			
Ordinary impurities	Complies to specification	-	Complies with c-USP
RELATED SUBSTANCES HPLC 09-II			
2-Phenylethanol	Not Detected	%	NMT 0.1%
Phenylethylamine	Not Detected	%	NMT 0.1%
Any impurity	Not Detected	%	NMT 0.10%
Total impurities	Not Detected	%	NMT 0.5%
HPLC 09T C-USP			
ASSAY (dried basis)	99.3	%	Between 98.0% and 102.0%
RESIDUAL SOLVENTS GC 09SR			
CHLOROFORM	Not Detected	ppm	NMT 60 ppm

Sample Nr. 210097767 **Manufacturing Date** 05/03/2018 **Retest Date** 05/03/2023

Code 09MM **Lot/Batch** 0000271848 **Description** PHENELZINE SULFATE USP **Product Class** FERT CLASSE A

Tests	Results	Units	Specification
ETHANOL	39	ppm	NMT 5000 ppm
METHANOL	84	ppm	NMT 3000 ppm
C-USP<231>METHOD II - C-EP 2.4.8.			
HEAVY METALS	Complies to specification	-	NMT 20 ppm
C-USP<281> - C-EP 2.4.14.			
RESIDUE ON IGNITION/SULPHATED ASH	Not Detected	%	NMT 0.1%
LOD			
LOSS ON DRYING	0.15	%	NMT 1.0%

Notes

FERT Pharmaceutical Active Ingredient
USP/PROCOS CLASS PRODUCT COMPLIES WITH cUSP, PROCOS SPECIFICATIONS
A: SOLUBILITY (PHENELZINE SULFATE) Freely soluble in water, practically insoluble in alcohol, in chloroform and in ether.

Lot Released : Complies with all specifications of the testing instruction and with GMP standard.

Cameri, March 30, 2018

Procospa
Quality Control

Authorized Person
TIZIANO RUFFILLI

Metapharmaceutical

30/3/18
T. Ruffilli