



ACROS ORGANICS part of Thermo Fisher Scientific

Certificate of Analysis

Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by SAI Global Certificate Number QMS42099



Fisher Scientific UK Ltd.
part of Thermo Fisher Scientific
Bishop Meadow Road,
Loughborough,
Leicestershire,
LE11 5RG

This is to certify that units of the lot number below were tested and found to comply with the specifications of the grade listed. Certain data have been supplied by third parties. Thermo Fisher Scientific expressly disclaims all warranties, expressed or implied, including the implied warranties of merchantability and fitness for a particular purpose. Products are for research use or further manufacturing. Not for direct administration to humans or animals. It is the responsibility of the purchaser, formulator or those performing further manufacturing to determine suitability based upon the intended use of the end product. Products are tested to meet the analytical requirements of the noted grade. The following information is the actual analytical results obtained.

Catalogue Number:	11622	Quality Test / Release Date:	17-MAY-19
Lot Number:	1902376	Expiry Phrase:	Use within 5 years of opening

Description:	Dimethylformamide		
Grade:	SLR	Application:	Specified reagent for general lab work

Appearance:	Clear colourless Mobile liquid
--------------------	--------------------------------

Result Name	Test Value	Units	Specification
Assay (GC)	99.99	%	>= 99
Colour	<5	APHA	<= 20
Residue after evaporation (ppm)	4	ppm	<= 50
Water	0.011	%	<= 0.2

Additional Information:	
--------------------------------	--



Mrs Paula Faulkes
Quality Assurance Manager.

Thursday 20th of June 2019

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above. If there are any questions with this certificate, please call Customer Services on +44(0)1509 555500