



Certificate of Analysis

Manufacturing site is certified according to ISO14001 and
OHSAS 18001 standards

Certificate prepared at

Sederma SAS
29 rue du Chemin vert - B.P.33
78612 Le Perray-en-Yvelines
France

Customer details

METAPHARMACEUTICAL INDL., S.L.
C/Josep Pla, 163. 2^a 5^a
08020 Barcelona
Spain
Fax No. 93 303 17 50

Customer Ref. 2019-1/208
Inspection Lot 040000955556
C of A Printed. 19.06.2019
Croda Order No. 3037704
Croda Del. No. 83454375
Quantity. 3,000KG

Batch Details

Product Name: PROCAPIL®
Product Code: SE26775/0001/2P42
Batch No: 0001512424

Date of test: 07.06.2019
Date of manufacture: 16.05.2019
Retest date: 15.05.2021

Specification: 03-NOV-09 - RV 2.0

Quality Control Results

Analytical Test Method No.	Characteristic	Specification Limit		Value	Unit	Status
		Lower	Upper			
	Addendum 00	PASS OR FAIL		Pass	-	P
AV002080	APPEARANCE FORM	LIQUID		Pass	-	P
AV002090	APPEARANCE COLOUR	YELLOW		Pass	-	P
AV002100	APPEARANCE CLARITY	CLEAR TO SLIGHTLY OPALESCE		Pass	-	P
EV000170	WATER CONTENT KARL FISCHER	10,0	30,0	20,5	%	P
FV000010	pH VALUE	6,5	8,0	6,5		P
FV000920	SPECIFIC GRAVITY (20°C)	1,015	1,035	1,022		P
FV000930	REFRACTIVE INDEX (25°C)	1,415	1,435	1,423		P
HV001990	APIGENINE CONTENT HPLC	400	550	455	ppm	P
HV001990	BIOTINYL GHK CONTENT HPLC	150	300	290	ppm	P
HV001990	OLEANOLIC ACID CONTENT HPLC	250	350	305	ppm	P
JV000780	TOTAL AEROBIC MICROBIAL COUNT	100 CFU/G MAX		Pass	-	P
JV000780	TOTAL COMBINED YEASTS/MOULDS COUNT	10 CFU/G MAX		Pass	-	P



Certificate of Analysis

Manufacturing site is certified according to ISO14001 and
OHSAS 18001 standards

Certificate prepared at

Sederma SAS
29 rue du Chemin vert - B.P.33
78612 Le Perray-en-Yvelines
France

Customer details

METAPHARMACEUTICAL INDL., S.L.
C/Josep Pla, 163. 2º 5ª
08020 Barcelona
Spain

Fax No. 93 303 17 50

Customer Ref. 2019-1/208
Inspection Lot 040000955556
C of A Printed. 19.06.2019
Croda Order No. 3037704
Croda Del. No. 83454375
Quantity. 3,000KG

Long term storage, recommended between +4°C and +7°C.

The performed analysis are guaranteed when product is stored in original packaging and at recommended temperature.

Some flocs can appear under the action of cold

This known phenomenon disappears when the product returns to room temperature and after agitation

This does not alter the quality of the product

Batch Status: Pass

The quality tests on this batch are reported above. The tests carried out are those necessary to demonstrate compliance with our product specification and are not intended to guarantee the product as suitable for any application beyond those contained in the specification. We recommend you perform your own quality and or identification checks on receipt

The name printed at the end of this document is an electronic signature.

Confirmed by

Alexandre Andre Product Quality Coordinator